

# Fire Safety

## Products Catalogue

T: 1300 88 3473 | E: [info@firesys.com.au](mailto:info@firesys.com.au)

W: [www.firesys.com.au](http://www.firesys.com.au)

v4 01/2025



Hydrant Valves

Hose Reels

Fire Extinguishers

Knap Sacks  
& Drip Torch

# INDEX

## SECTION 1 FIRE FIGHTING APPLIANCES

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E	PAGE 1	FIRE BLANKETS	PAGE 5
FIREOUT CARBON DIOXIDE FIRE EXTINGUISHERS	PAGE 2	FIREOUT FIRE HOSE REELS	PAGE 5
FIREOUT AIR WATER FIRE EXTINGUISHERS	PAGE 2	FIRE DEPOT BINS	PAGE 6
FIREOUT AIR FOAM FIRE EXTINGUISHERS	PAGE 3	MOBILE FIRE EXTINGUISHERS DCP AB:E & FOAM	PAGE 7
FIREOUT WET CHEMICAL FIRE EXTINGUISHERS	PAGE 3	LAY FLAT FIRE HOSES	PAGE 8
REGA FIRE FIGHTER BACK PACKS	PAGE 4	LAY FLAT FIRE HOSE ACCESSORIES	PAGE 10
COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 4	WATER JEL BLANKETS	PAGE 11

## SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

BRASS LANDING VALVES & MILLCOCKS	PAGE 12	COUPLINGS QRT	PAGE 19
STATIC HYDRANT TESTERS	PAGE 12	COUPLINGS - BIC	PAGE 20
HYDRANT HAND WHEELS	PAGE 13	COUPLINGS - MISCELLANEOUS	PAGE 21
HYDRANT STRAPS	PAGE 13	COUPLINGS SHIP TO SHORE	PAGE 22
HYDRANT LOCKS AND PADLOCKS	PAGE 13	ADAPTORS	PAGE 22
STANDPIPES	PAGE 14	STORZ ADAPTORS	PAGE 24
DIVIDING BREECHING CONTROLS BRASS	PAGE 14	STORZ COUPLING CIRCLIPS	PAGE 26
DIVIDING BREECHING CONTROLS ALUMINIUM	PAGE 15	NAKAJIMA COUPLINGS	PAGE 27
BLANKING CAPS	PAGE 15	HYDRANT SPANNERS & HYDRANT TOOLS	PAGE 27
BLANKING CAPS - STORZ	PAGE 17	WASHERS COUPLINGS	PAGE 28
COUPLINGS - STORZ	PAGE 18	WASHERS HYDRANTS	PAGE 29
COUPLINGS - FBT / MFB	PAGE 19		

## SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES	PAGE 31	FOAM BRANCHES & FOAM EQUIPMENT	PAGE 33
CONTROL BRANCHES & NOZZLE BRANCHES	PAGE 32	FIRE HOSE NOZZLES	PAGE 35

## SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS

FIRE HOSE REEL NOZZLES	PAGE 39	FIRE HOSE REEL STOP COCKS	PAGE 42
NOZZLE ADAPTORS & HOSE CLAMPS	PAGE 40	FIRE HOSE REEL SERVICE KITS	PAGE 42
FIRE HOSE REEL ARMS & HANDLES	PAGE 41	FIRE HOSE REEL SPARE PARTS	PAGE 43
FIRE HOSE REEL RETAINERS	PAGE 41		

# INDEX

## SECTION 5 CABINETS COVERS STANDS & TROLLEYS

METAL CABINETS FOR HOSE REELS & EXTINGUISHERS	PAGE 45	CABINET PARTS & ACCESSORIES	PAGE 53
METAL CABINETS - EMERGENCY & MISCELLANEOUS	PAGE 46	CABINET PARTS & ACCESS RESOLVE & RESOLUTE	PAGE 54
POLY CABINETS IP RATED EXT, FHR & MULTIPURPOSE	PAGE 47	FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS	PAGE 55
IP RATED TOP LOAD & POLY CABINETS NON IP RATED	PAGE 49	OTHER COVERS & BAGS	PAGE 56
OTHER POLY CABINETS	PAGE 50	FIRE EXTINGUISHER STANDS & TROLLEYS	PAGE 57
FIBERGLASS CABINETS	PAGE 52		

## SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG	PAGE 59	HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMB	PAGE 61	LIGHT DUTY VEHICLE BRACKETS	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG	PAGE 62	EXTINGUISHER HANGERS - UNDERGROUND MINES	PAGE 66
HEAVY DUTY VEHICLE BRACKETS - 2.5KG	PAGE 64	EXTINGUISHER WALL BRACKETS	PAGE 67

## SECTION 7 FLAMMABLE STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS	PAGE 69		
-----------------------------------	---------	--	--

## SECTION 8 SIGNS & LABELS

LOCATION SIGNS - PVC	PAGE 71	GENERAL SIGNS - METAL	PAGE 86
LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF	PAGE 72	EXIT SIGNS - PVC	PAGE 87
LOCATION SIGNS - SELF ADHESIVE - VEHICLE	PAGE 73	ENGRAVED SIGNS	PAGE 88
LOCATION SIGNS - SELF ADHESIVE	PAGE 74	SIGN ADHESIVE	PAGE 88
LOCATION SIGNS - METAL - STANDARD	PAGE 75	FIRE LABELS - EXTINGUISHER PICTOGRAM	PAGE 89
LOCATION SIGNS - METAL - RIGHT ANGLE	PAGE 75	FIRE LABELS - EXTINGUISHER PRESSURE TEST	PAGE 89
LOCATION SIGNS - ALUMINIUM	PAGE 76	FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY	PAGE 90
IDENTIFICATION SIGNS - PVC	Page 77		
IDENTIFICATION SIGNS - SELF ADHESIVE	PAGE 78		
GENERAL SIGNS - PVC	PAGE 79		
GENERAL SIGNS - SELF ADHESIVE	PAGE 83		



**FIRE SYSTEM SERVICES PTY LTD**

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



# INDEX continued

## SECTION 9 SUPPRESSION SYSTEMS

STAT-X SUPPRESSION SYSTEMS	PAGE 93	SUPPRESSION SYSTEM SPARES	PAGE 100
EXXFIRE SUPPRESSION SYSTEMS	PAGE 97	SUPPRESSION SYSTEM SPARES - FIREPRO	PAGE 101
CO2 CYLINDER FIRE SUPPRESSION VALVES	PAGE 101		

## SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS	PAGE 105	COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 107
ESCAPE LADDERS	PAGE 106	REGA FIRE FIGHTER BACK PACKS	PAGE 108
LOCK OUTS	PAGE 106	REGA FIRE FIGHTER BACK PACK SPARE PARTS	PAGE 108
RESCUE TOOLS	PAGE 106	RURAL FIRE HOSE NOZZLES	PAGE 108
FIRE RAKES, AXES & FIRE BEATERS	PAGE 107	SCOTTY FIRE FIGHTING NOZZLES	PAGE 110
FIRE LIGHTER	PAGE 107	SCOTTY SQUALL WALLS, FITTINGS & OTHER	PAGE 111

## SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

SEALING TIES	PAGE 113	RECHARGE & TEST ADAPTORS	PAGE 116
SERVICE COLLARS, TAGS & HOLDING RINGS	PAGE 113	RECHARGE & TESTING EQUIPMENT	PAGE 117
BANDIT CLAMPS & BANDIT CLAMP TOOLS	PAGE 114	RECHARGE AGENTS	PAGE 119
NUMBER PUNCHES & SERVICE TOOLS	PAGE 115	FIRE HOSE TESTING EQUIPMENT	PAGE 120

## SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES	PAGE 122	ELBOWS & FILLER TUBES	PAGE 132
HANDLES, LEVERS & RIVETS	PAGE 123	SCHRADER VALVES	PAGE 132
CHECK STEMS DCP & AW/AF	PAGE 125	DIFFUSERS, ADAPTORS & APPLICATORS	PAGE 133
CHECK STEMS CO2	PAGE 127	DISCHARGE NOZZLES & CAPS	PAGE 134
CHECK STEM SPRINGS	PAGE 128	DISCHARGE HOSES DCP, WC, AW & AF	PAGE 135
CHECK SEATS & SEALS	PAGE 128	DISCHARGE HOSES & HORNS CO2	PAGE 137
SERVICE KITS	PAGE 129	RETAINERS CLIPS & STRAPS	PAGE 138
BURSTING DISC	PAGE 129	O RINGS WASHERS & SEALS	PAGE 139
VALVE ASSEMBLIES	PAGE 130	SIPHON TUBE ADAPTORS	PAGE 141
SAFETY PINS	PAGE 131	SIPHON TUBES	PAGE 142



# INDEX

## SECTION 13 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS	PAGE 143	FIRE SEALANT	PAGE 144
FIRE PILLOWS	PAGE 143		

## SECTION 14 SMOKE EMITTERS

SMOKE EMITTERS	PAGE 147		
----------------	----------	--	--

## SECTION 15 EMERGENCY EYE WASH STATIONS

COMBINATION UNITS	PAGE 150	MOUNTED EYE WASH UNITS	PAGE 151
LABORATORY UNITS	PAGE 152	PORTABLE EYE WASH UNITS	PAGE 153

## SECTION 16 FLAMMABLE LIQUID STORAGE & SPILL MANAGEMENT

DANGEROUS GOODS CABINETS	PAGE 157	SPILL KITS	PAGE 159
SPILL CONTAINMENT	PAGE 161		

## SECTION 17 FIRE FIGHTING

FIRE EXTINGUISHER PRESTO WATER	PAGE 164	FIRE EXTINGUISHER PRESTO FOAM	PAGE 165
FIRE EXTINGUISHER PRESTO WET CHEMICAL	PAGE 166	FIRE EXTINGUISHER PRESTO CO2	PAGE 167
FIRE EXTINGUISHER PRESTO DRY CHEMICAL	PAGE 168		
FIRE EXTINGUISHER AMEREX DRY CHEMICAL	PAGE 169	FIRE EXTINGUISHER AMEREX VAPORISING L	PAGE 172
FIRE EXTINGUISHER AMEREX WATER MIST	PAGE 175	FIRE EXTINGUISHER AMEREX WHEELED	PAGE 176
FIRE EXTINGUISHER AMEREX HELI DECK	PAGE 177	FIRE EXTINGUISHER ECCO SOLAS	PAGE 178
FIRE HOSE REEL	PAGE 179	FSP CATALOGUE 180 - 192	PAGE 180
FIRE EXTINGUISHER CABINETS (AUSTRALIAN)	PAGE 181	FIRE HOSE REEL CABINETS (AUSTRALIAN)	PAGE 182
FIRE HOSE REEL CONTINUES FLOW	PAGE 188	FIRE HOSE REEL FOAM KIT	PAGE 194

## SECTION 18 EXIT AND EMERGENCY LIGHTING

EXIT LIGHTING	PAGE 198	SPITFIRE EMERGENCY LIGHTING	PAGE 199
BATTEN EMERGENCY LIGHTING	PAGE 200	FLOOD EMERGENCY LIGHTING	PAGE 201
EXIT LIGHTING ACCESSORIES	PAGE 202		

## SECTION 19 FIRE FIGHTING FOAMS

ANSUL FOAMS	PAGE 203	FOMTEC FOAMS	PAGE 204
COLD FIRE	PAGE 205	SEAGUARD FOAMS	PAGE 207

# FSS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS & CONDITIONS OF SALE	PAGE 210		
------------------------------------	----------	--	--

## GENERAL INFORMATION

HOW TO DETERMINE BSP THREAD SIZE	PAGE 11	WHY CHOOSE FORGED STORZ COUPLINGS?	PAGE 26
HOW TO DETERMINE STORZ COUPLING SIZE	PAGE 18		

### Disclaimer:

Images shown are for representation only and images shown may differ from actual products.

Product specifications and pricing are subject to change without notice. Possession of product reference manual or price list does not constitute an agreement to supply any goods.

Fire System Services does not make any representation that products are fit for any particular use or meet any legislative requirements - it is the responsibility of the customer to ensure that goods supplied meet any requirements and are fit for the intended application.




# Hose Reel 700

Product Code: HR700 (19C/25C)

Reel Diameter: 700mm

Reel Width: Adjustable



Not wall mountable




## FEATURES

- ▶ Roto moulded UV stabilised polyethylene drum
- ▶ Stainless steel internal with Dual quad ring sealing. Tested to 400 PSI
- ▶ Sealed bearings
- ▶ Hose Capacity:  
Hose 38mm  
Adjustable width
- ▶ Custom option available
- ▶ Optional Brass/Rubber Adjustable spray nozzle jet and fog
- ▶ Standard Left Hand water entry - Right water entry available on request
- ▶ Other Nozzle options available on request


## Breakdown



Thermo Plastic Housing - S/S bearing



Optional Hose Nozzle



Wall Mounted Pipe S/S

**DIFFERENT  
COLOURS  
AVAILABLE**


# Underground Mobile Hose Reel

Product Code: HRM700/19-25C

Size: 760mm W x 800mm L x 930mm H | Weight: Empty - 140kg - 190kg Charged

## Construction:

- ▶ Durable frame coated signal red
- ▶ RHS skids
- ▶ Tow & lift lugs
- ▶ Stainless steel waterway
- ▶ Cast bearing (grease-able)
- ▶ Reinforced polyethylene drum
- ▶ PVC frass rated hose (130m/19mm)
- ▶ Adjustable nozzle
- ▶ Isolation valve
- ▶ Stainless steel crank handle (2 person operation for hose retrieval)



**COATED  
DURABLE  
FRAME**

## HOSE OPTIONS:

- 120m x 19mm
- 100m x 25mm
- Further hose options available
- 25mm. Tested at 2100kpa (300psi)

# Fire Hose Reel Trolley

Product Code: HR500XXXTXXX

Complete with:

- ▶ Heavy Duty Hose Reel
- ▶ Gal Cradle (painted Signal Red)
- ▶ 4 x 75mm Castors
- ▶ Fold Down Handle
- ▶ Drum Stop

**PORTABLE**




# Double Sided Hose Reel Cradle

TRUCK & VEHICLE

Product Code: HRX00XXXTXX

- ▶ Crafted from Stainless Steel
- ▶ Available in a single or double sided configuration
- ▶ Supplied with a spring loaded rewind handle
- ▶ The cradle can be safely mounted to the floor or a wall



# Lay Flat Hose Storage Cradle



Product Code: HRX00XXXTXX

- ▶ Designed to hold flat hose neatly with adjustable width for different hose sizes
- ▶ UV Stabilised

# Cable Reel


Product Code: HRCABLEY

- ▶ Rotationally moulded polyethylene.
- ▶ Fitted with a rewind handle.
- ▶ Designed to hold 500m of bunting.

- ▶ UV Stabilised
- ▶ Perfect for applications where large quantities of bunting needs to be managed.



# Hose Reels - Heavy Duty



## Hose Reel 500

Product Code: HR500 (19C/25C)

Reel Diameter: 520mm | Reel Depth: 300mm

## Hose Reel 600

Product Code: HR600 (19C/25C)

Reel Diameter: 600mm | Reel Width: 300mm

- ▶ Roto moulded UV stabilised polyethylene drum
- ▶ Stainless steel internal with Dual quad ring sealing. Tested to 400 PSI
- ▶ Sealed bearings



The BFM & BMFA hose reel foam nozzle is a simple foam branchpipe with foam pick up capability. Available in 3% or 6% proportioning, with 6% being standard.

The BFM & BFMA is designed for use with AFFF and 3F Flurone Free fire fighting foams plus other low expansion AFFF type fire fighting foams. The BFM & BFMA is well suited for use with Class A or bush fire foams but special proportioning rates are required. The BFM & BMFA nozzles can also be used with Alcohol Resistant AFFF such but this must be advised when purchasing.

In addition you can replace the BFM & BFMA foam branch with the fire hose reel nozzle. This allows you to switch between the applications of using water or foam via the Schwartz couplings.

BFM - Plastic Fabrication (Yellow Branch Pipe)

BFMA - Anodised Aluminium Fabrication (Blue Branch Pipe)



**FIRE SYSTEM SERVICES PTY LTD**


ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au




## FOAM MAKING BRANCHPIPE 1-3-6%

Part No: BFM



**Storz Hose Connection**  
2 x 19mm Hose Tail (included)



Variable Inductor, Click Select

### APPLICATIONS

The 1-3-6% Foam Making Branchpipe was developed to augment the fire fighting capabilities of a standard fire hose reel. Until now, standard fire hose reels have only been suitable for fighting A Class fire (i.e. solids, such as wood, paper and textiles).

Now with the advent of the 1-3-6% Foam Making Branchpipe, your hose reel(s) can instantly be converted to a foam making station, to improve your A Class fire fighting capability and for B Class Fire such as petrol, oils, paints and solvents.

### OPERATION

To operate the 1-3-6% Foam Making Branchpipe, insert pick-up tube into a container of foam solution and turn on water supply. When water flows through the Venturi nozzle, solution is automatically inducted. When the foam solution is mixed with air, a continuous stream of aerated foam is produced.

### APPLICATION

The hose reel branchpipe is suitable for use on 'A' and 'B' Class fires.

A – Ordinary combustibles. (solids: such as wood, paper and textiles).

B – Flammable liquids. (petrol, paint and solvents).

The unit is particularly suited for rapid control of fire in high risk industries such as petrochemical, transport and mining.

### DESIGN

The unique 1-3-6% Foam Making Branchpipe employs a sophisticated Venturi system that ensures consistent induction of foam solution through a range of water supply pressure.

The unit is fitted with strainers on the foam and water inlets to prevent obstruction by foreign matter.

### CONSTRUCTION

The unit is constructed from selected materials to ensure long term durability and resistance to corrosion.

Manufactured from:

Fibre Glass Reinforced Nylon.

Pick-up Line Assembly: PVC hose.

**PICK UP TUBE OPTION:** Order either **Rigid Spike** OR **Pail Screw top** for attaching to 20lt drums

In line with our policy of continuous improvement we reserve the right to amend any specification without notice.

## **PART NO. BFMA**



The BFMA hose reel foam nozzle is a simple foam branchpipe with foam pick up capability. Available in 3% or 6% proportioning, with 6% being standard.

The BFMA is designed for use with AFFF and other low expansion AFFF type fire fighting foams. The BFMA is well suited for use with Class A or bush fire foams but special proportioning rates are required. The BFM nozzle can also be used with Alcohol Resistant AFFF such but this must be advised when purchasing.

### **SPECIFICATION**

FLOW:	50 lpm @ 700 kPa
THROW:	6 to 13 meters (250 kPa to 700 kPa)
LENGTH:	400mm
DIAMETER:	45mm
WEIGHT:	0.5 kg (branch only)
CONSTRUCTION:	Anodised aluminium
OPERATING PRESSURE RANGE:	250 to 1000 kPa



MADE IN AUSTRALIA



**FIRE SYSTEM SERVICES PTY LTD**

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)





## Ansul AFFF 1% Foam

For use on Class B hydrocarbon fuel fires such as crude oils, gasoline, diesel fuels and aviation fuels. Aspirated or non aspirated discharge devices. 1% solution in fresh, salt or hard water. 1% premix in fresh or potable water. Also Available in: 20 Litre Pail, 200 Litre Drum, 1000 Litre Tote, Call us for bulk prices Images for display purposes only, All Ansul foam is packed in black square drums to suit Australian holders Images of products for information purposes only, products may not exactly correspond to illustrations.

Ansul

## AFFF 3% Foam

For use on Class B hydrocarbon fuel fires such as crude oils, gasoline, diesel fuels, and aviation fuels. Aspirated or non aspirated discharge devices. 3% solution in fresh, salt or hard water. 3% premix in fresh or potable water. Also Available in: 20 Litre Pail, 200 Litre Drum, 1000 Litre Tote, Call us for bulk prices Images for display purposes only, All Ansul foam is packed in black square drums to suit Australian holders Images of products for information purposes only, products may not exactly correspond to illustrations.

## Ansul AFFF 6% Foam

For use on Class B hydrocarbon fuel fires such as crude oils, gasoline, diesel fuels and aviation fuels. Aspirated or nonaspirated discharge devices. 6% solution in fresh, salt or hard water. 6% premix in fresh or potable water. Also Available in 20 Litre Pail, 200 Litre Drum, 1000 Litre Tote, Call us for bulk prices Images for display purposes only, All Ansul foam is packed in black square drums to suit Australian holders Images of products for information purposes only, products may not exactly correspond to illustrations.

## Ansul AFFF 6% ICAO-B Foam

Ansul Ansilite 6% ICAO-B AFFF concentrate is formulated from specialty fluorochemical and hydrocarbons surfactants along with solvents. It is transported and stored as a concentrate to provide ease of use and considerable savings in weight and space. It is intended for use as a 6% proportional solution in fresh, salt or hard water. (Water hardness should not exceed 500ppm expressed as calcium and magnesium) It may also be used and stored as a 6% premixed solution in a fresh or potable water only. The correct proportional or mixing ration is 6 parts of concentrate to 94 parts of water.

## Ansul Jet- X High Expansion Foam

For use on Class A, B and LNG fires. Capable of total flooding large rooms and enclosures when used with JET-X high expansion generators at 200:1 to 1000:1 expansion ratios (2 3/4% concentration). Also used with medium-expansion equipment at 50:1 to 200:1 expansion ratios (2% concentration). Used only with air-aspirating foam discharge devices. UL Listed and FM Approved. Part number 420008.



**FIRE SYSTEM SERVICES PTY LTD**

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)





## SEAGUARD AFFF 1%

Seaguard AFFF 1% is a film forming foam concentrate typically used on oil rigs or where space for storage is minimal. The concentrate is delivered at 1% into the water stream to generate a foam blanket suitable for fire extinguishing.



## SEAGUARD 3% AFFF

Seaguard AFFF 3% is a film forming foam concentrate suitable for use at 3%. The foam concentrate will deliver a foam blanket of at least 8 : 1 depending the foam expansion equipment used.



## SEAGUARD AFFF 6%

Seaguard AFFF 6% is a film forming foam concentrate suitable for use at 6%. The foam is used in a variety of fire extinguisher manufacturers and suppliers in Australia and overseas.



## SEAGUARD 3 X 6% AR-AFFF ALCOHOL RESISTANT FOAM

The Seaguard AR-AFFF foam is a multipurpose foam suitable for use on hydrocarbons fuels at 3% and alcohol type fuels at 6%. The foam forms a blanket over the burning liquid providing a smothering effect whilst the water drains out the foam cooling the fire.



## SEAGUARD CLASS A BUSHFIRE FOAM

The Seaguard Class A foam is a USDA approved formulation in accordance with Forest Service Specification 5100-307a and is listed as an approved product.



## SEAGUARD HIGH EXPANSION FOAM

Seaguard High Expansion Foam is a high expansion foam suitable for warehouse and ship protection. When used in high expansion foam equipment the foam will generate 20-100 expanded foam blanket. It can be used at 2-3% and will control vapour release as well as smother the fire.



**FIRE SYSTEM SERVICES PTY LTD**

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)



# NOTES

NOTES



## FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)



**QUICK REFERENCE GUIDE****SECTION 1 FIRE FIGHTING APPLIANCES****SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT****SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES****SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS****SECTION 5 CABINETS COVERS STANDS & TROLLEYS****SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS****SECTION 7 FLAMMABLE STORAGE CABINETS****SECTION 8 SIGNS & LABELS****SECTION 9 SUPPRESSION SYSTEMS****SECTION 10 SAFETY & BUSHFIRE EQUIPMENT****SECTION 11 SERVICE CONSUMABLES & EQUIPMENT****SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS****SECTION 13 BUILDING PRODUCTS**

# FSS GENERAL TERMS & CONDITIONS OF SALE

## GENERAL TERMS AND CONDITIONS OF SALE

ANY REFERENCE TO "THE SUPPLIER" REFERS TO FIRE SYSTEM SERVICES ABN 47 635 264 476. ANY REFERENCE TO "THE CUSTOMER" REFERS TO THE PURCHASER OF GOODS. IF YOU DO NOT UNDERSTAND ANY OF THE TRADING TERMS AND CONDITIONS CONTAINED IN THIS DOCUMENT IT IS RECOMMENDED THAT YOU SEEK INDEPENDENT LEGAL ADVICE..

1. **Acceptance** – Any instructions received by the Supplier from the Customer in relation to the supply of goods shall constitute acceptance of the terms and conditions contained herein.
2. **Payment terms** – The agreed trading terms are 30 days. Payment is due on all invoices 30 days from the date on the invoice.
3. **Account keeping fees** – The Customer hereby agrees and acknowledges that at the absolute discretion of the Supplier, an account keeping fee of 2% per month, or the maximum rate permissible by law, may be levied on any overdue amounts that remain unpaid by the required due date. The Customer agrees that this fee represents a reasonable pre estimate of the loss suffered by the Supplier in relation to overdue amounts.
4. **Dishonour fees and collection costs** – The Customer agrees to indemnify the Supplier for any dishonoured cheque fees incurred. Further, in the event that the Customer's account is in default of these trading terms the Customer will also indemnify the Supplier against its collection fees and any reasonable legal costs incurred by the Supplier, provided the Customer has been provided reasonable opportunity to remedy the default and has failed to do so.
5. **Stop supply** – The Supplier may withdraw credit facilities to the Customer at any time upon reasonable notice. Without limiting the Supplier's rights to withdraw credit, the Supplier reserves the right to stop supply and place the account on hold when the Customer is in default of the Trading Terms, until such time as the Customer remedies the default and the Supplier agrees to recommence supply.
6. **Application** – These Trading Terms apply to all transactions in relation to which the Customer is supplied goods and or services (including on credit). If any future contract between the Supplier and the Customer is inconsistent with these Terms of Trade, then these Trading Terms will apply unless the subsequent contract refers to and specifically alters these Trading Terms in writing.
7. **Variation to Customer details** – Should there be any variation to any of the information supplied by the Customer in this application or in the structure of the Customer's business (such as the conversion to or from a company or trust or the appointment of new directors), the Supplier shall be notified in writing. Until a new application form is signed and approved in writing by the Supplier, then the original application and those person(s) who signed as guarantor(s) shall remain liable to the Supplier as though all goods and services were supplied to the original Customer.
8. **Amendments** – The supplier reserves the right to amend these Trading Terms and will publish any amended version of the Trading Terms on its website. The Customer will be provided with reasonable notice prior to any changes of the Trading Terms. In the event that the Customer reasonably considers that the variation causes the Customer a material detriment, the Customer may terminate these Trading Terms without penalty.
9. **Assignment** – The Supplier shall be entitled at any time to assign its rights under these Trading Terms to its successors, nominated transferees or assigns, (including but not limited to, where applicable, personal guarantees), and that these Trading Terms shall not be in any way affected or discharged pursuant to such assignment.
10. **Retention of title** – Until ALL INVOICES are paid in full, and ALL MONIES receipted and cleared, ownership of the goods remains with the Supplier, but the risk passes to the Customer on delivery. Delivery shall occur if the Supplier or its agent delivers, on delivery, and or if the Customer or its agent (s) takes delivery, at that point of delivery. Until the Supplier is paid in full, the relationship of the Customer to the Supplier shall be fiduciary in respect of the goods and the Customer shall hold the goods as bailee only for the Supplier. The Customer shall store the goods separately from its own until title has passed to the Customer.
11. **Recovery** – Should the goods be on sold to a third party before payment, or in the event of the Appointment of an Administrator, Controller, Managing Controller, receiver or Receiver Manager (as those terms are used in the *Corporations Act 2001* (Cth)), or entry into an Informal/Formal Deed of Arrangement under the *Bankruptcy Act 1966* (Cth) by the Customer, or any other insolvency event of the Customer, then the Customer hereby assigns to the Supplier its right of recovery of payment from the third party. The money(ies) resulting from the sale of the goods are to be specifically earmarked and placed in a separate account on trust for the Supplier, until payment in full is made to the Supplier for the cost of the goods only, to guarantee clear passage of ownership to the third party innocent purchaser.
12. **Retaking Possession** – In the event the Customer is in default of the Trading Terms, and after failing to remedy any breach of the Trading Terms after notice and a reasonable period of time, then the Supplier may upon notice to the Customer, enter upon the premises where the goods are reasonably expected to be stored for the sole purpose of retaking possession of the said goods. The Customer indemnifies and holds harmless the Supplier, its servants or agents in relation to loss or damage as a result of the retaking of possession of said goods. Further, in the event the supplier exercises its right of retaking possession of the said goods, the Customer grants power of sale to the Supplier to resell the said goods and the Customer acknowledges that any shortfall owing after the said goods are resold will be the responsibility of the Customer. Notwithstanding any other provision of these Trading terms, it is expressly agreed by the Customer that the Supplier may sue for the price of all goods delivered to the Customer or for damages, notwithstanding that ownership in those goods has not been passed to the Customer.
13. **Delivery** – Deliveries shall be made during normal business hours. Deliveries required outside normal business hours will be delivered upon the request of the Customer, and any additional charges will be the sole responsibility of the Customer. In the event the Customer or the Customer's agent is not on site to accept delivery, then the Customer must pay the cost for redelivery of any goods. Any date of delivery quoted in any correspondence, quotation or invoice is an estimated delivery time frame only and is subject to industrial disturbances, delay in transit, damage to goods in transit, shortage of goods and any other cause beyond reasonable control of the Supplier.
14. **PPSR** – The Supplier reserves the right to register any security interest provided by the Customer ("the grantor") which creates a performance obligation to secure payment owed by the Customer to the Supplier pursuant to the Personal Property Securities Act 2009 (Cth).

# FSS GENERAL TERMS & CONDITIONS OF SALE

- 15. Service of Documents** – The Customer acknowledges that service of all documents will be by prepaid postal addressed envelope to the trading address nominated on the application unless a new address is provided by the Customer and such new address is acknowledged by return in writing from the Supplier, or another nominated address at the discretion of the Supplier. The Customer expressly acknowledges that service is deemed to be effected after the expiration of 2 business days from the date of posting of the documents.
- 16. Access to site** – The Customer at all times is responsible to ensure suitable access to its site for delivery of goods. The Customer indemnifies and saves harmless the Supplier, and or its servants or agents any loss or damage, in the event the Customer fails to provide suitable access to the site for delivery, or whilst on site delivering, except to the extent that any loss or damage is caused or contributed to by the negligence of the Supplier or its servants or agents.
- 17. Price** – Unless a separate agreement is in place all goods are sold at the price current at the time of purchase as determined by the Supplier. The price of the goods is at the Suppliers works. Costs and charges for freight and handling at the point of delivery to the Customer or Customer's agent are payable by the customer unless otherwise stated on the quotation. All prices may be subject to change without notice. If requested the Customer will be provided a quotation for the purchase price of the goods, and the costs for delivery at the time of ordering. All quotes remain current for 14 days only from the date of the quotation or as otherwise stated on quotation.
- 18. Financial information** – The Customer agrees to provide financial information as is reasonably required by the Supplier from time to time, for the assessment of current and future credit limits only. The Supplier and the Customer further agree that such information shall be treated as strictly confidential and shall not be disclosed to any third party(ies) without the express written permission of the Customer.
- 19. Claims** – It is the responsibility of the Customer to carefully inspect the goods immediately when they are delivered. Claims that the goods fail to meet the guarantees under the *Australian Consumer Law* must be made in accordance with the requirements of that legislation. Claims that the products fail to meet the manufacturer's warranty, suitable quality standard, or claims relating to incorrect goods shipped or incorrect quantities received will only be recognised if made in the first instance by phone within 72 hrs of delivery, and also in writing within 7 days of delivery. Claims outside this period will be at the absolute discretion of the Supplier, and its decision final and binding on the Customer. All claims that the goods fail to meet the manufacturer's warranty or suitable quality standard must be returned in original condition and packaging and complete in every detail and such goods will only be accepted if the freight is prepaid by the Customer unless other agreements have been made in writing.
- 20. Returns & cancellations** – In the event the Customer elects to return goods or cancel goods on order for any reason other than failure to comply with *Australian Consumer Law* they must first seek written return authorisation from the Supplier. Acceptance of returns not covered under *Australian Consumer Law* will be at the absolute discretion of the Supplier and may at the absolute discretion of the supplier attract a 10% handling and restocking fee on the invoice amount involved. The Customer agrees that this represents a reasonable pre estimate of the loss that the Supplier will suffer in restocking and administrative charges.
- 21. Special Orders** – Special orders attract a 50% deposit which will be debited to the Customer's account upon receipt of a written order for goods outside the Supplier's normal stock lines, or for goods which are specifically modified to meet the customers' requirements. The classification of what stock lines are normally held and those not held by the Supplier and what constitutes a modification is at the absolute discretion of the Supplier and may change from time to time. NOTE unless goods breach the consumer guarantees under *Australian Consumer Law*, no return of, or cancellation of special orders will be accepted.
- 22. Warranties** – All goods are warranted by the manufacturer's warranty, if any, as is furnished by the manufacturer thereof. To the extent permitted by law, all implied warranties are expressly excluded. Nothing in these Trading Terms shall be read or applied so as to exclude, restrict or modify, or have the effect of excluding, restricting or modifying, any condition, warranty, guarantee, right or remedy implied by law (including the *Competition and Consumer act 2010* (CTH)) and which by law cannot be excluded, restricted or modified.
- 23. Damages** – To the extent permitted by law, if the Customer is entitled to the benefit of any implied terms which cannot be excluded, the Supplier's liability shall be limited, as its option in the supply of goods to:
- The replacement of the goods or the supply of equivalent goods:
  - The payment of the costs of replacing the goods or acquiring the relevant goods, or the payment of having the goods repaired:
  - In the case of services, the resupply of the services: or
  - The payment of the cost of having the services performed again
- 24. Limit & liability** – Subject to the Australian Consumer Law, the Supplier shall not be liable for any claims, loss, expense whatsoever, howsoever arising, or in any event in any way whatsoever for any contingent, consequential direct/indirect special, or punitive damages arising in relation thereto, and the Customer acknowledges this express limit or liability and agrees to limit any claim accordingly. Further the Supplier shall not be responsible directly or indirectly for any consequential loss or damage, or for the maintenance, use or operation of the product by the Customer, or to any third party, or from any failure of the product whether defective or not.
- 25. GST** – Expressions set out in italics in this clause 25 bear the same meaning as those expressions in the GST law.
- All payments have been set or determined without regard to the impact of GST.
  - Subject to clause 25.D if the whole or any part of a payment by a party (including amounts referred to in 25.B) is the consideration for a *taxable supply*, the GST amount in respect of the payment must be paid to the Supplier of the *taxable supply* as an additional amount, at the same time and in the same manner as the payment is otherwise payable or as otherwise agreed in writing.
  - If a payment due under this agreement is a reimbursement or indemnification by one party of an expense, loss or liability incurred by the other party, the payment will exclude any GST forming part of the amount to be reimbursed or indemnified to the extent to which the other party can claim an *input tax credit*.
  - A party's obligation to make payment under clause 25.A is subject to a valid tax invoice being delivered to the party liable to pay for the *taxable supply*.

# FSS GENERAL TERMS & CONDITIONS OF SALE

E Where the Supplier has become subject to any penalties or interest because of late payment by the Supplier to the Australian Taxation Office of any GST amount and that late payment is a result of the failure of the *recipient* to comply with the terms of this clause 26, the *recipient* must pay to the Supplier an additional amount on demand equal to the amount of those penalties and interest.

F The *recipient* must indemnify the Supplier on demand in respect of all loss or damage arising from a breach by the *recipient* of its obligations under this clause 25.

26. **Environmental Requirements** – The Customer confirms and acknowledges that it has made all relevant enquiries in relation to all responsibilities conferred upon the Customer, by all relevant legislation, relating to storage of, use of, and disposal of any or all products supplied by the Supplier.
27. **Insurance** – NO INSURANCE IS PROVIDED BY THE SUPPLIER. The Customer expressly acknowledges that insurance of all goods is the responsibility of the Customer upon dispatch from the Supplier's premises.
28. **Supply** – The Customer acknowledges that possession of the Supplier's pricelist, possession of an application for credit from the Supplier, an approved credit facility with the Supplier, or a quotation from the Supplier, does not constitute an agreement from the Supplier to supply goods or services to the Customer. The Supplier reserves the right to refuse to accept any purchase order from any Customer for any reason.
29. **Jurisdiction** – The Customer acknowledges that this contract shall be governed by the Laws of New South Wales, and the Customer hereby agrees to submit to the non-exclusive jurisdiction of the Courts of that State.

Fire System Services Pty Ltd

ABN: 56 113 794 924

FC: 1300 88 FIRE (3473) | E-Mail: [info@firesys.com.au](mailto:info@firesys.com.au) | Web: [www.firesys.com.au](http://www.firesys.com.au)