

Fire Safety

Products Catalogue

T: 1300 88 3473 | E: info@firesys.com.au

W: www.firesys.com.au

v4 01/2025



Hydrant Valves

Hose Reels

Fire Extinguishers

Knap Sacks
& Drip Torch

INDEX

SECTION 1 FIRE FIGHTING APPLIANCES

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E	PAGE 1	FIRE BLANKETS	PAGE 5
FIREOUT CARBON DIOXIDE FIRE EXTINGUISHERS	PAGE 2	FIREOUT FIRE HOSE REELS	PAGE 5
FIREOUT AIR WATER FIRE EXTINGUISHERS	PAGE 2	FIRE DEPOT BINS	PAGE 6
FIREOUT AIR FOAM FIRE EXTINGUISHERS	PAGE 3	MOBILE FIRE EXTINGUISHERS DCP AB:E & FOAM	PAGE 7
FIREOUT WET CHEMICAL FIRE EXTINGUISHERS	PAGE 3	LAY FLAT FIRE HOSES	PAGE 8
REGA FIRE FIGHTER BACK PACKS	PAGE 4	LAY FLAT FIRE HOSE ACCESSORIES	PAGE 10
COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 4	WATER JEL BLANKETS	PAGE 11

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

BRASS LANDING VALVES & MILLCOCKS	PAGE 12	COUPLINGS QRT	PAGE 19
STATIC HYDRANT TESTERS	PAGE 12	COUPLINGS - BIC	PAGE 20
HYDRANT HAND WHEELS	PAGE 13	COUPLINGS - MISCELLANEOUS	PAGE 21
HYDRANT STRAPS	PAGE 13	COUPLINGS SHIP TO SHORE	PAGE 22
HYDRANT LOCKS AND PADLOCKS	PAGE 13	ADAPTORS	PAGE 22
STANDPIPES	PAGE 14	STORZ ADAPTORS	PAGE 24
DIVIDING BREECHING CONTROLS BRASS	PAGE 14	STORZ COUPLING CIRCLIPS	PAGE 26
DIVIDING BREECHING CONTROLS ALUMINIUM	PAGE 15	NAKAJIMA COUPLINGS	PAGE 27
BLANKING CAPS	PAGE 15	HYDRANT SPANNERS & HYDRANT TOOLS	PAGE 27
BLANKING CAPS - STORZ	PAGE 17	WASHERS COUPLINGS	PAGE 28
COUPLINGS - STORZ	PAGE 18	WASHERS HYDRANTS	PAGE 29
COUPLINGS - FBT / MFB	PAGE 19		

SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES	PAGE 31	FOAM BRANCHES & FOAM EQUIPMENT	PAGE 33
CONTROL BRANCHES & NOZZLE BRANCHES	PAGE 32	FIRE HOSE NOZZLES	PAGE 35

SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS

FIRE HOSE REEL NOZZLES	PAGE 39	FIRE HOSE REEL STOP COCKS	PAGE 42
NOZZLE ADAPTORS & HOSE CLAMPS	PAGE 40	FIRE HOSE REEL SERVICE KITS	PAGE 42
FIRE HOSE REEL ARMS & HANDLES	PAGE 41	FIRE HOSE REEL SPARE PARTS	PAGE 43
FIRE HOSE REEL RETAINERS	PAGE 41		

INDEX

SECTION 5 CABINETS COVERS STANDS & TROLLEYS

METAL CABINETS FOR HOSE REELS & EXTINGUISHERS	PAGE 45	CABINET PARTS & ACCESSORIES	PAGE 53
METAL CABINETS - EMERGENCY & MISCELLANEOUS	PAGE 46	CABINET PARTS & ACCESS RESOLVE & RESOLUTE	PAGE 54
POLY CABINETS IP RATED EXT, FHR & MULTIPURPOSE	PAGE 47	FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS	PAGE 55
IP RATED TOP LOAD & POLY CABINETS NON IP RATED	PAGE 49	OTHER COVERS & BAGS	PAGE 56
OTHER POLY CABINETS	PAGE 50	FIRE EXTINGUISHER STANDS & TROLLEYS	PAGE 57
FIBERGLASS CABINETS	PAGE 52		

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG	PAGE 59	HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMB	PAGE 61	LIGHT DUTY VEHICLE BRACKETS	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG	PAGE 62	EXTINGUISHER HANGERS - UNDERGROUND MINES	PAGE 66
HEAVY DUTY VEHICLE BRACKETS - 2.5KG	PAGE 64	EXTINGUISHER WALL BRACKETS	PAGE 67

SECTION 7 FLAMMABLE STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS	PAGE 69		
-----------------------------------	---------	--	--

SECTION 8 SIGNS & LABELS

LOCATION SIGNS - PVC	PAGE 71	GENERAL SIGNS - METAL	PAGE 86
LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF	PAGE 72	EXIT SIGNS - PVC	PAGE 87
LOCATION SIGNS - SELF ADHESIVE - VEHICLE	PAGE 73	ENGRAVED SIGNS	PAGE 88
LOCATION SIGNS - SELF ADHESIVE	PAGE 74	SIGN ADHESIVE	PAGE 88
LOCATION SIGNS - METAL - STANDARD	PAGE 75	FIRE LABELS - EXTINGUISHER PICTOGRAM	PAGE 89
LOCATION SIGNS - METAL - RIGHT ANGLE	PAGE 75	FIRE LABELS - EXTINGUISHER PRESSURE TEST	PAGE 89
LOCATION SIGNS - ALUMINIUM	PAGE 76	FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY	PAGE 90
IDENTIFICATION SIGNS - PVC	Page 77		
IDENTIFICATION SIGNS - SELF ADHESIVE	PAGE 78		
GENERAL SIGNS - PVC	PAGE 79		
GENERAL SIGNS - SELF ADHESIVE	PAGE 83		



FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



INDEX continued

SECTION 9 SUPPRESSION SYSTEMS

STAT-X SUPPRESSION SYSTEMS	PAGE 93	SUPPRESSION SYSTEM SPARES	PAGE 100
EXXFIRE SUPPRESSION SYSTEMS	PAGE 97	SUPPRESSION SYSTEM SPARES - FIREPRO	PAGE 101
CO2 CYLINDER FIRE SUPPRESSION VALVES	PAGE 101		

SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS	PAGE 105	COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 107
ESCAPE LADDERS	PAGE 106	REGA FIRE FIGHTER BACK PACKS	PAGE 108
LOCK OUTS	PAGE 106	REGA FIRE FIGHTER BACK PACK SPARE PARTS	PAGE 108
RESCUE TOOLS	PAGE 106	RURAL FIRE HOSE NOZZLES	PAGE 108
FIRE RAKES, AXES & FIRE BEATERS	PAGE 107	SCOTTY FIRE FIGHTING NOZZLES	PAGE 110
FIRE LIGHTER	PAGE 107	SCOTTY SQUALL WALLS, FITTINGS & OTHER	PAGE 111

SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

SEALING TIES	PAGE 113	RECHARGE & TEST ADAPTORS	PAGE 116
SERVICE COLLARS, TAGS & HOLDING RINGS	PAGE 113	RECHARGE & TESTING EQUIPMENT	PAGE 117
BANDIT CLAMPS & BANDIT CLAMP TOOLS	PAGE 114	RECHARGE AGENTS	PAGE 119
NUMBER PUNCHES & SERVICE TOOLS	PAGE 115	FIRE HOSE TESTING EQUIPMENT	PAGE 120

SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES	PAGE 122	ELBOWS & FILLER TUBES	PAGE 132
HANDLES, LEVERS & RIVETS	PAGE 123	SCHRADER VALVES	PAGE 132
CHECK STEMS DCP & AW/AF	PAGE 125	DIFFUSERS, ADAPTORS & APPLICATORS	PAGE 133
CHECK STEMS CO2	PAGE 127	DISCHARGE NOZZLES & CAPS	PAGE 134
CHECK STEM SPRINGS	PAGE 128	DISCHARGE HOSES DCP, WC, AW & AF	PAGE 135
CHECK SEATS & SEALS	PAGE 128	DISCHARGE HOSES & HORNS CO2	PAGE 137
SERVICE KITS	PAGE 129	RETAINERS CLIPS & STRAPS	PAGE 138
BURSTING DISC	PAGE 129	O RINGS WASHERS & SEALS	PAGE 139
VALVE ASSEMBLIES	PAGE 130	SIPHON TUBE ADAPTORS	PAGE 141
SAFETY PINS	PAGE 131	SIPHON TUBES	PAGE 142



INDEX

SECTION 13 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS	PAGE 143	FIRE SEALANT	PAGE 144
FIRE PILLOWS	PAGE 143		

SECTION 14 SMOKE EMITTERS

SMOKE EMITTERS	PAGE 147		
----------------	----------	--	--

SECTION 15 EMERGENCY EYE WASH STATIONS

COMBINATION UNITS	PAGE 150	MOUNTED EYE WASH UNITS	PAGE 151
LABORATORY UNITS	PAGE 152	PORTABLE EYE WASH UNITS	PAGE 153

SECTION 16 FLAMMABLE LIQUID STORAGE & SPILL MANAGEMENT

DANGEROUS GOODS CABINETS	PAGE 157	SPILL KITS	PAGE 159
SPLILL CONTAINMENT	PAGE 161		

SECTION 17 FIRE FIGHTING

FIRE EXTINGUISHER PRESTO WATER	PAGE 164	FIRE EXTINGUISHER PRESTO FOAM	PAGE 165
FIRE EXTINGUISHER PRESTO WET CHEMICAL	PAGE 166	FIRE EXTINGUISHER PRESTO CO2	PAGE 167
FIRE EXTINGUISHER PRESTO DRY CHEMICAL	PAGE 168		
FIRE EXTINGUISHER AMEREX DRY CHEMICAL	PAGE 169	FIRE EXTINGUISHER AMEREX VAPORISING L	PAGE 172
FIRE EXTINGUISHER AMEREX WATER MIST	PAGE 175	FIRE EXTINGUISHER AMEREX WHEELED	PAGE 176
FIRE EXTINGUISHER AMEREX HELI DECK	PAGE 177	FIRE EXTINGUISHER ECCO SOLAS	PAGE 178
FIRE HOSE REEL	PAGE 179	FSP CATALOGUE 180 - 192	PAGE 180
FIRE EXTINGUISHER CABINETS (AUSTRALIAN)	PAGE 181	FIRE HOSE REEL CABINETS (AUSTRALIAN)	PAGE 182
FIRE HOSE REEL CONTINUES FLOW	PAGE 188	FIRE HOSE REEL FOAM KIT	PAGE 194

SECTION 18 EXIT AND EMERGENCY LIGHTING

EXIT LIGHTING	PAGE 198	SPITFIRE EMERGENCY LIGHTING	PAGE 199
BATTEN EMERGENCY LIGHTING	PAGE 200	FLOOD EMERGENCY LIGHTING	PAGE 201
EXIT LIGHTING ACCESSORIES	PAGE 202		

SECTION 19 FIRE FIGHTING FOAMS

ANSUL FOAMS	PAGE 203	FOMTEC FOAMS	PAGE 204
COLD FIRE	PAGE 205	SEAGUARD FOAMS	PAGE 207

FSS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS & CONDITIONS OF SALE	PAGE 210		
------------------------------------	----------	--	--

GENERAL INFORMATION

HOW TO DETERMINE BSP THREAD SIZE	PAGE 11	WHY CHOOSE FORGED STORZ COUPLINGS?	PAGE 26
HOW TO DETERMINE STORZ COUPLING SIZE	PAGE 18		

Disclaimer:

Images shown are for representation only and images shown may differ from actual products.

Product specifications and pricing are subject to change without notice. Possession of product reference manual or price list does not constitute an agreement to supply any goods.

Fire System Services does not make any representation that products are fit for any particular use or meet any legislative requirements - it is the responsibility of the customer to ensure that goods supplied meet any requirements and are fit for the intended application.



FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

	CODE	DESCRIPTION
	HDVB9C	HEAVY DUTY VEHICLE BRACKET 9KG CANNON STYLE CAST ALLOY ARMS ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN & KEY RING ⇒ OVERALL DIMENSIONS 275 H x 265 W x 210 D WEIGHT 4.1KG
	HDVB9CL	SAME AS HDVB9C BUT LEFT OPENING
	HDVB9CG	HEAVY DUTY VEHICLE BRACKET 9KG GALVANISED CAST ALLOY ARMS ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 275 H x 265 W x 210 D WEIGHT 4.1KG
	HDVB9CH ALSO FITS SOME LARGE 4.5KG EXT	HEAVY DUTY VEHICLE BRACKET 9KG 155 MM - 180 MM ⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ SINGLE MOUNTING HOLE IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 360 H x 270 W x 220 D WEIGHT 5.1KG
	HDVB9CHL	SAME AS HDVB9CH BUT LEFT OPENING
	HDVBLT	HEAVY DUTY OVER CENTRE LEVER 9KG EXTINGUISHER BRACKET 180MM ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ SUITABLE FOR EXTINGUISHERS APPROX 180 MM DIAMETER ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS ⇒ OVERALL DIMENSIONS 360 H x 250 W x 300 D WEIGHT 7.9KG
	HDVB9GA	HEAVY DUTY EXTINGUISHER TRUCK BRACKET 155-180MM 9KG COLD GAL ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 315 H x 260 W x 210 D WEIGHT 4.2KG

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMBINATION

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

	CODE	DESCRIPTION
	<p>HDVBWDE</p>	<p>HEAVY DUTY VEH BRACKET WEBB DOUBLE EAR BLACKSTRAP 4.5KG & 9.0KG</p> <ul style="list-style-type: none"> ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ ELECTROPLATED ZINC REAR EARS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG
	<p>HDVBWDESS</p>	<p>EXTINGUISHER TRUCK BRACKET 316 STAINLESS STEEL WEBB TWO EAR</p> <ul style="list-style-type: none"> ⇒ 5MM THICK STAINLESS STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ STAINLESS STEEL REAR EARS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG
	<p>HDVBWDEA</p>	<p>HEAVY DUTY BRACKET WEBB A OLD STYLE COLD GAL FINISH ROUND RM</p> <ul style="list-style-type: none"> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ COLD GALVANISED REAR ARMS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLUE WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 315 H x 250 W x 210 D WEIGHT 4.2KG
	<p>HDVBWBAB</p>	<p>HEAVY DUTY BLACK WEBB & BUCKLE ASSEMBLY FOR HDVBWDE (PIN)</p> <ul style="list-style-type: none"> ⇒ REPLACEMENT BLACK WEBBING STRAP AND BUCKLE ASSEMBLY ONLY
	<p>HDVBWBA</p>	<p>HEAVY DUTY BLUE WEBB & BUCKLE ASSEMBLY FOR HDVBWDEG DEA</p> <ul style="list-style-type: none"> ⇒ REPLACEMENT BLUE WEBBING STRAP AND BUCKLE ASSEMBLY ONLY

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 4.5KG

	CODE	DESCRIPTION
	<p>HDVB45C</p>	<p>HEAVY DUTY VEH BRACKET 4.5KG BLACK VEHICLE BRACKET CAST ALLOY ARMS</p> <ul style="list-style-type: none"> ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 125 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN & KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG
	<p>HDVB45CG</p>	<p>HEAVY DUTY VEH BRACKET 4.5KG GALVANISED CAST ALLOY ARMS</p> <ul style="list-style-type: none"> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 125 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG
	<p>HDVB45CH</p> <p>ALSO FITS SOME 2.5KG EXT</p>	<p>HEAVY DUTY BRACKET 2.5- 4.5KG 125 -150MM CHUBB 70074 BLACK</p> <ul style="list-style-type: none"> ⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ SINGLE MOUNTING HOLE IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 125 - 150MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 310 H x 260 W x 160 D WEIGHT 4.3KG
	<p>HDVB LTS</p>	<p>HEAVY DUTY OVER CENTRE LEVER 4.5KG VEHICLE BRACKET 140MM</p> <ul style="list-style-type: none"> ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ SUITABLE FOR EXTINGUISHERS APPROX 140 MM DIAMETER ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS ⇒ OVERALL DIMENSIONS 300 H x 200 W x 260 D WEIGHT 5.9KG
	<p>HDVB45GA</p>	<p>HEAVY DUTY EXTINGUISHER TRUCK BRACKET 130-157MM 4.5KG COLD GAL</p> <ul style="list-style-type: none"> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 320 H x 210 W x 210 D WEIGHT 4.0KG

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 4.5KG continued

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

	CODE	DESCRIPTION
	<p>HDVB45DM</p>	<p>HEAVY DUTY VEH BRACKET 4.5KG DELUXE MODIFIED VEHICLE BRACKET</p> <ul style="list-style-type: none"> ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 140 - 160MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG
	<p>HDVB45GMA</p>	<p>HEAVY DUTY VEHICLE BRACKET 4.5KG, A/WATER FOAM EXTINGUISHERS</p> <ul style="list-style-type: none"> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 310 H x 230 W x 180 D WEIGHT 4.2KG
	<p>HDVB45MA</p> <p>MARINE GRADE ALLOY</p>	<p>EXTINGUISHER BRACKET MARINE STRAP ALLOY BASE 4.5KG/9lt</p> <ul style="list-style-type: none"> ⇒ 5MM THICK MARINE GRADE ALUMINIUM BACK AND BASE PLATES ⇒ 3 X MOUNTING HOLES ON BACK PLATE / 4 X MOUNTING HOLES ON BASE ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 300 H x 180 W x 200 D WEIGHT 1.5KG
	<p>1OHB</p>	<p>HEAVY DUTY VEH BRACKET 4.5-6KG BLACK 812 145-158MM</p> <ul style="list-style-type: none"> ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 145 - 158MM ⇒ OVERALL DIMENSIONS 300 H x 240 W x 160 D WEIGHT 2.2KG
	<p>HDVB45NZB</p> <p>HDVB45NZG</p>	<p>HEAVY DUTY EXTINGUISHER BRACKET 4.5KG NEW ZEALAND 2 STRAP BLACK</p> <ul style="list-style-type: none"> ⇒ 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 3MM THICK PAINTED MILD STEEL ARMS ⇒ 4 X MOUNTING HOLES IN ARM BACKS ⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS ⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY <p>HEAVY DUTY EXTINGUISHER BRACKET 4.5KG NEW ZEALAND 2 STRAP GAL</p> <ul style="list-style-type: none"> ⇒ AS ABOVE BUT IN COLD GALVANISED FINISH

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS


HEAVY DUTY VEHICLE BRACKETS - 2.5KG

	CODE	DESCRIPTION
	<p>5DC</p>	<p>HEAVY DUTY VEHICLE BRACKET 2 - 2.5KG BLACK 105-115MM</p> <ul style="list-style-type: none"> ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 105 - 115MM ⇒ OVERALL DIMENSIONS 290 H x 200 W x 160 D WEIGHT 1.5KG
	<p>5HB</p>	<p>EXTINGUISHER BRACKET 2.5- 4.5KG BLACK 809 128-143MM</p> <ul style="list-style-type: none"> ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 128 - 143MM ⇒ OVERALL DIMENSIONS 290 H x 200 W x 170 D WEIGHT 1.8KG
	<p>5HBM</p>	<p>EXTINGUISHER BRACKET 2.5KG FLAMESTOP CHUBB 132MM</p> <ul style="list-style-type: none"> ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 132MM ⇒ OVERALL DIMENSIONS 290 H x 190 W x 190 D WEIGHT 2.0KG
	<p>HDVB27QGA</p>	<p>HEAVY DUTY 2 - 2.5KG FIRE EXTINGUISHER VEHICLE BRACKET</p> <ul style="list-style-type: none"> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 110 - 130MM ⇒ OVERALL DIMENSIONS 305 H x 190 W x 160 D WEIGHT 3.7KG
	<p>HDVB25NZB HDVB25NZG</p>	<p>HEAVY DUTY EXTINGUISHER BRACKET 2.5KG NEW ZEALAND 2 STRAP BLACK</p> <ul style="list-style-type: none"> ⇒ 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 3MM THICK PAINTED MILD STEEL ARMS ⇒ 4 X MOUNTING HOLES IN ARM BACKS ⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS ⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY <p>HEAVY DUTY EXTINGUISHER BRACKET 2.5KG NEW ZEALAND 2 STRAP GAL</p> <ul style="list-style-type: none"> ⇒ AS ABOVE BUT IN COLD GALVANISED FINISH


SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK

	CODE	DESCRIPTION
	HDVBRK	HEAVY DUTY VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF ⇒ DESIGNED TO SECURELY HOLD REGA 16L FIRE FIGHTING KNAPSACK ON VEHICLE ⇒ HEAVY DUTY STEEL CONSTRUCTION WITH RED POWDER COATED FINISH ⇒ 4 MOUNTING HOLES ⇒ INCLUDES WEBBING STRAP AND SPRING LOADED ATTACHMENT





LIGHT DUTY VEHICLE BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB895A	EXTINGUISHER BRACKET 895 BLACK 2KG CO2 / 2.5 - 4.5KG DCP ADJUSTABLE		VB45RRC	VEH BRK 4.5KG REPLACEMENT RUBBER STRAP FOR VB23R & VB45R
	VB23R	VEH BRK 2.3KG RUBBER STRAP 860 ADJUSTABLE 75MM—108MM		VB9RRC	VEH BRK 9.0KG REPLACEMENT RUBBER STRAP FOR VB9R BRACKET
	VB45R	VEH BRK 4.5kg RUBBER STRAP 862 ADJUSTABLE 125MM - 178MM		HDVB25B	VEH BRK DCP 2.5KG CHUBB BLACK VEHICLE BRACKET 120-125MM
	VB9R	VEH BRK 9.0KG RUBBER STRAP 864 ADJUSTABLE 178MM - 205MM		VB1C	EXTINGUISHER BRACKET 1KG PVC LIGHT DUTY VEHICLE BRACKET
				VB1CM	VEH BRK DCP 1.0KG CHUBB 109288 METAL LIGHT VEHICLE BRACKET

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

LIGHT DUTY VEHICLE BRACKETS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB1DA	FIRE EXTINGUISHER BRACKET FITS 1.0 - 1.5KG DCP CYLINDER		VB23Q	FIRE EXTINGUISHER BRACKET 2.3KG QUELL KIDDE DCP VEHICLE BRACKET
	HDVB2LQ	FIRE EXTINGUISHER BRACKET 2KG DCP MINING C/W HOSE CLIP		VB25F	VEH BFK 2.5KG FIREX ABE LIGHT DUTY
	VB23C	FIRE EXTINGUISHER BRACKET 2.3KG CHUBB KIDDE DCP C/W HOSE CLIP			

EXTINGUISHER HANGERS - UNDERGROUND MINES

	CODE	DESCRIPTION
	DEHUM	<p>DOUBLE EXTINGUISHER HANGERS UNDERGROUND MINES 1275mm</p> <ul style="list-style-type: none"> ⇒ DESIGNED TO SECURELY HOLD 2 X EXTINGUISHERS ⇒ 1275MM DROP HEIGHT ⇒ POWDER COATED SIGNAL RED <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> <p>TOP DETAIL</p>  </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> <p>LOWER DETAIL</p>  </div> </div>

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

EXTINGUISHER WALL BRACKETS

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	WB9DFO	WALL BRACKET 9.0KG DCP FIREOUT RED FW/CHUBB/FIREX/KIDDE		WBDEG9	WALL BRK DCP 9.0KG E/GARD 80mm BRACKET
	WBCQ	WALL BRK CO2 QUELL/CHUBB 43MM BRACKET 2.5 & 4.5KG DCP 2 & 3.5KG CO2		WBFSAB	WALL BRK FORK STYLE BRACKET WORMALD A/W A/F OLD SODA ACID 20MM
	WBDQ	WALL BRK DCP QUELL/CHUBB 65MM BRACKET 9KG DCP, 9LT & 5KG CO2		WB2DQ	WALL BRK DCP 2.23KG Q RED FORK BRACKET 65MM
	WB9DCR	WALL BRK DCP 4.5KG & CO2 3.5 - 5KG CH FM F x FW BRACKET 55MM		WBSCS	WALL BRK CHUBB SLOT BRACKET 65MM
	WBEBE	WALL BRK EXT I BEAM CLAMP M12		WBDL	WALL BRK DCP/CO2 LARGE 60MM 9 KG W/INT - 5KG CO2 FM BRACKET
	WBAWF	WALL BRACKET DOUBLE ENDED FITS MOST EXTINGUISHERS 55MM / 75MM		WBJT	WALL BRK J TYPE 9.0LT AW AF F/M BFI B/ M WORM BRANDS 15MM
	WB9DBFI	WALL BRK DCP 9KG W/C 7LT BFI BRACKET		WBFWPS	WALL BRK AW/AF WORMALD PREM 80MM BRACKET OFFSET FORK STYLE

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

NOTES

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS



FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



NOTES

NOTES



FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



QUICK REFERENCE GUIDE**SECTION 1 FIRE FIGHTING APPLIANCES****SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT****SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES****SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS****SECTION 5 CABINETS COVERS STANDS & TROLLEYS****SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS****SECTION 7 FLAMMABLE STORAGE CABINETS****SECTION 8 SIGNS & LABELS****SECTION 9 SUPPRESSION SYSTEMS****SECTION 10 SAFETY & BUSHFIRE EQUIPMENT****SECTION 11 SERVICE CONSUMABLES & EQUIPMENT****SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS****SECTION 13 BUILDING PRODUCTS**

FSS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS AND CONDITIONS OF SALE

ANY REFERENCE TO "THE SUPPLIER" REFERS TO FIRE SYSTEM SERVICES ABN 47 635 264 476. ANY REFERENCE TO "THE CUSTOMER" REFERS TO THE PURCHASER OF GOODS. IF YOU DO NOT UNDERSTAND ANY OF THE TRADING TERMS AND CONDITIONS CONTAINED IN THIS DOCUMENT IT IS RECOMMENDED THAT YOU SEEK INDEPENDENT LEGAL ADVICE..

1. **Acceptance** – Any instructions received by the Supplier from the Customer in relation to the supply of goods shall constitute acceptance of the terms and conditions contained herein.
2. **Payment terms** – The agreed trading terms are 30 days. Payment is due on all invoices 30 days from the date on the invoice.
3. **Account keeping fees** – The Customer hereby agrees and acknowledges that at the absolute discretion of the Supplier, an account keeping fee of 2% per month, or the maximum rate permissible by law, may be levied on any overdue amounts that remain unpaid by the required due date. The Customer agrees that this fee represents a reasonable pre estimate of the loss suffered by the Supplier in relation to overdue amounts.
4. **Dishonour fees and collection costs** – The Customer agrees to indemnify the Supplier for any dishonoured cheque fees incurred. Further, in the event that the Customer's account is in default of these trading terms the Customer will also indemnify the Supplier against its collection fees and any reasonable legal costs incurred by the Supplier, provided the Customer has been provided reasonable opportunity to remedy the default and has failed to do so.
5. **Stop supply** – The Supplier may withdraw credit facilities to the Customer at any time upon reasonable notice. Without limiting the Supplier's rights to withdraw credit, the Supplier reserves the right to stop supply and place the account on hold when the Customer is in default of the Trading Terms, until such time as the Customer remedies the default and the Supplier agrees to recommence supply.
6. **Application** – These Trading Terms apply to all transactions in relation to which the Customer is supplied goods and or services (including on credit). If any future contract between the Supplier and the Customer is inconsistent with these Terms of Trade, then these Trading Terms will apply unless the subsequent contract refers to and specifically alters these Trading Terms in writing.
7. **Variation to Customer details** – Should there be any variation to any of the information supplied by the Customer in this application or in the structure of the Customer's business (such as the conversion to or from a company or trust or the appointment of new directors), the Supplier shall be notified in writing. Until a new application form is signed and approved in writing by the Supplier, then the original application and those person(s) who signed as guarantor(s) shall remain liable to the Supplier as though all goods and services were supplied to the original Customer.
8. **Amendments** – The supplier reserves the right to amend these Trading Terms and will publish any amended version of the Trading Terms on its website. The Customer will be provided with reasonable notice prior to any changes of the Trading Terms. In the event that the Customer reasonably considers that the variation causes the Customer a material detriment, the Customer may terminate these Trading Terms without penalty.
9. **Assignment** – The Supplier shall be entitled at any time to assign its rights under these Trading Terms to its successors, nominated transferees or assigns, (including but not limited to, where applicable, personal guarantees), and that these Trading Terms shall not be in any way affected or discharged pursuant to such assignment.
10. **Retention of title** – Until ALL INVOICES are paid in full, and ALL MONIES receipted and cleared, ownership of the goods remains with the Supplier, but the risk passes to the Customer on delivery. Delivery shall occur if the Supplier or its agent delivers, on delivery, and or if the Customer or its agent (s) takes delivery, at that point of delivery. Until the Supplier is paid in full, the relationship of the Customer to the Supplier shall be fiduciary in respect of the goods and the Customer shall hold the goods as bailee only for the Supplier. The Customer shall store the goods separately from its own until title has passed to the Customer.
11. **Recovery** – Should the goods be on sold to a third party before payment, or in the event of the Appointment of an Administrator, Controller, Managing Controller, receiver or Receiver Manager (as those terms are used in the *Corporations Act 2001* (Cth)), or entry into an Informal/Formal Deed of Arrangement under the *Bankruptcy Act 1966* (Cth) by the Customer, or any other insolvency event of the Customer, then the Customer hereby assigns to the Supplier its right of recovery of payment from the third party. The money(ies) resulting from the sale of the goods are to be specifically earmarked and placed in a separate account on trust for the Supplier, until payment in full is made to the Supplier for the cost of the goods only, to guarantee clear passage of ownership to the third party innocent purchaser.
12. **Retaking Possession** – In the event the Customer is in default of the Trading Terms, and after failing to remedy any breach of the Trading Terms after notice and a reasonable period of time, then the Supplier may upon notice to the Customer, enter upon the premises where the goods are reasonably expected to be stored for the sole purpose of retaking possession of the said goods. The Customer indemnifies and holds harmless the Supplier, its servants or agents in relation to loss or damage as a result of the retaking of possession of said goods. Further, in the event the supplier exercises its right of retaking possession of the said goods, the Customer grants power of sale to the Supplier to resell the said goods and the Customer acknowledges that any shortfall owing after the said goods are resold will be the responsibility of the Customer. Notwithstanding any other provision of these Trading terms, it is expressly agreed by the Customer that the Supplier may sue for the price of all goods delivered to the Customer or for damages, notwithstanding that ownership in those goods has not been passed to the Customer.
13. **Delivery** – Deliveries shall be made during normal business hours. Deliveries required outside normal business hours will be delivered upon the request of the Customer, and any additional charges will be the sole responsibility of the Customer. In the event the Customer or the Customer's agent is not on site to accept delivery, then the Customer must pay the cost for redelivery of any goods. Any date of delivery quoted in any correspondence, quotation or invoice is an estimated delivery time frame only and is subject to industrial disturbances, delay in transit, damage to goods in transit, shortage of goods and any other cause beyond reasonable control of the Supplier.
14. **PPSR** – The Supplier reserves the right to register any security interest provided by the Customer ("the grantor") which creates a performance obligation to secure payment owed by the Customer to the Supplier pursuant to the Personal Property Securities Act 2009 (Cth).

FSS GENERAL TERMS & CONDITIONS OF SALE

- 15. Service of Documents** – The Customer acknowledges that service of all documents will be by prepaid postal addressed envelope to the trading address nominated on the application unless a new address is provided by the Customer and such new address is acknowledged by return in writing from the Supplier, or another nominated address at the discretion of the Supplier. The Customer expressly acknowledges that service is deemed to be effected after the expiration of 2 business days from the date of posting of the documents.
- 16. Access to site** – The Customer at all times is responsible to ensure suitable access to its site for delivery of goods. The Customer indemnifies and saves harmless the Supplier, and or its servants or agents any loss or damage, in the event the Customer fails to provide suitable access to the site for delivery, or whilst on site delivering, except to the extent that any loss or damage is caused or contributed to by the negligence of the Supplier or its servants or agents.
- 17. Price** – Unless a separate agreement is in place all goods are sold at the price current at the time of purchase as determined by the Supplier. The price of the goods is at the Suppliers works. Costs and charges for freight and handling at the point of delivery to the Customer or Customer's agent are payable by the customer unless otherwise stated on the quotation. All prices may be subject to change without notice. If requested the Customer will be provided a quotation for the purchase price of the goods, and the costs for delivery at the time of ordering. All quotes remain current for 14 days only from the date of the quotation or as otherwise stated on quotation.
- 18. Financial information** – The Customer agrees to provide financial information as is reasonably required by the Supplier from time to time, for the assessment of current and future credit limits only. The Supplier and the Customer further agree that such information shall be treated as strictly confidential and shall not be disclosed to any third party(ies) without the express written permission of the Customer.
- 19. Claims** – It is the responsibility of the Customer to carefully inspect the goods immediately when they are delivered. Claims that the goods fail to meet the guarantees under the *Australian Consumer Law* must be made in accordance with the requirements of that legislation. Claims that the products fail to meet the manufacturer's warranty, suitable quality standard, or claims relating to incorrect goods shipped or incorrect quantities received will only be recognised if made in the first instance by phone within 72 hrs of delivery, and also in writing within 7 days of delivery. Claims outside this period will be at the absolute discretion of the Supplier, and its decision final and binding on the Customer. All claims that the goods fail to meet the manufacturer's warranty or suitable quality standard must be returned in original condition and packaging and complete in every detail and such goods will only be accepted if the freight is prepaid by the Customer unless other agreements have been made in writing.
- 20. Returns & cancellations** – In the event the Customer elects to return goods or cancel goods on order for any reason other than failure to comply with *Australian Consumer Law* they must first seek written return authorisation from the Supplier. Acceptance of returns not covered under *Australian Consumer Law* will be at the absolute discretion of the Supplier and may at the absolute discretion of the supplier attract a 10% handling and restocking fee on the invoice amount involved. The Customer agrees that this represents a reasonable pre estimate of the loss that the Supplier will suffer in restocking and administrative charges.
- 21. Special Orders** – Special orders attract a 50% deposit which will be debited to the Customer's account upon receipt of a written order for goods outside the Supplier's normal stock lines, or for goods which are specifically modified to meet the customers' requirements. The classification of what stock lines are normally held and those not held by the Supplier and what constitutes a modification is at the absolute discretion of the Supplier and may change from time to time. NOTE unless goods breach the consumer guarantees under *Australian Consumer Law*, no return of, or cancellation of special orders will be accepted.
- 22. Warranties** – All goods are warranted by the manufacturer's warranty, if any, as is furnished by the manufacturer thereof. To the extent permitted by law, all implied warranties are expressly excluded. Nothing in these Trading Terms shall be read or applied so as to exclude, restrict or modify, or have the effect of excluding, restricting or modifying, any condition, warranty, guarantee, right or remedy implied by law (including the *Competition and Consumer act 2010* (CTH)) and which by law cannot be excluded, restricted or modified.
- 23. Damages** – To the extent permitted by law, if the Customer is entitled to the benefit of any implied terms which cannot be excluded, the Supplier's liability shall be limited, as its option in the supply of goods to:
- The replacement of the goods or the supply of equivalent goods:
 - The payment of the costs of replacing the goods or acquiring the relevant goods, or the payment of having the goods repaired:
 - In the case of services, the resupply of the services: or
 - The payment of the cost of having the services performed again
- 24. Limit & liability** – Subject to the Australian Consumer Law, the Supplier shall not be liable for any claims, loss, expense whatsoever, howsoever arising, or in any event in any way whatsoever for any contingent, consequential direct/indirect special, or punitive damages arising in relation thereto, and the Customer acknowledges this express limit or liability and agrees to limit any claim accordingly. Further the Supplier shall not be responsible directly or indirectly for any consequential loss or damage, or for the maintenance, use or operation of the product by the Customer, or to any third party, or from any failure of the product whether defective or not.
- 25. GST** – Expressions set out in italics in this clause 25 bear the same meaning as those expressions in the GST law.
- All payments have been set or determined without regard to the impact of GST.
 - Subject to clause 25.D if the whole or any part of a payment by a party (including amounts referred to in 25.B) is the consideration for a *taxable supply*, the GST amount in respect of the payment must be paid to the Supplier of the *taxable supply* as an additional amount, at the same time and in the same manner as the payment is otherwise payable or as otherwise agreed in writing.
 - If a payment due under this agreement is a reimbursement or indemnification by one party of an expense, loss or liability incurred by the other party, the payment will exclude any GST forming part of the amount to be reimbursed or indemnified to the extent to which the other party can claim an *input tax credit*.
 - A party's obligation to make payment under clause 25.A is subject to a valid tax invoice being delivered to the party liable to pay for the *taxable supply*.

FSS GENERAL TERMS & CONDITIONS OF SALE

E Where the Supplier has become subject to any penalties or interest because of late payment by the Supplier to the Australian Taxation Office of any GST amount and that late payment is a result of the failure of the *recipient* to comply with the terms of this clause 26, the *recipient* must pay to the Supplier an additional amount on demand equal to the amount of those penalties and interest.

F The *recipient* must indemnify the Supplier on demand in respect of all loss or damage arising from a breach by the *recipient* of its obligations under this clause 25.

26. **Environmental Requirements** – The Customer confirms and acknowledges that it has made all relevant enquiries in relation to all responsibilities conferred upon the Customer, by all relevant legislation, relating to storage of, use of, and disposal of any or all products supplied by the Supplier.
27. **Insurance** – NO INSURANCE IS PROVIDED BY THE SUPPLIER. The Customer expressly acknowledges that insurance of all goods is the responsibility of the Customer upon dispatch from the Supplier's premises.
28. **Supply** – The Customer acknowledges that possession of the Supplier's pricelist, possession of an application for credit from the Supplier, an approved credit facility with the Supplier, or a quotation from the Supplier, does not constitute an agreement from the Supplier to supply goods or services to the Customer. The Supplier reserves the right to refuse to accept any purchase order from any Customer for any reason.
29. **Jurisdiction** – The Customer acknowledges that this contract shall be governed by the Laws of New South Wales, and the Customer hereby agrees to submit to the non-exclusive jurisdiction of the Courts of that State.

Fire System Services Pty Ltd

ABN: 56 113 794 924

FC: 1300 88 FIRE (3473) | E-Mail: info@firesys.com.au | Web: www.firesys.com.au