

# Fire Safety

## Products Catalogue

T: 1300 88 3473 | E: [info@firesys.com.au](mailto:info@firesys.com.au)

W: [www.firesys.com.au](http://www.firesys.com.au)

v4 01/2025



Hydrant Valves

Hose Reels

Fire Extinguishers

Knap Sacks  
& Drip Torch

# INDEX

## SECTION 1 FIRE FIGHTING APPLIANCES

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E	PAGE 1	FIRE BLANKETS	PAGE 5
FIREOUT CARBON DIOXIDE FIRE EXTINGUISHERS	PAGE 2	FIREOUT FIRE HOSE REELS	PAGE 5
FIREOUT AIR WATER FIRE EXTINGUISHERS	PAGE 2	FIRE DEPOT BINS	PAGE 6
FIREOUT AIR FOAM FIRE EXTINGUISHERS	PAGE 3	MOBILE FIRE EXTINGUISHERS DCP AB:E & FOAM	PAGE 7
FIREOUT WET CHEMICAL FIRE EXTINGUISHERS	PAGE 3	LAY FLAT FIRE HOSES	PAGE 8
REGA FIRE FIGHTER BACK PACKS	PAGE 4	LAY FLAT FIRE HOSE ACCESSORIES	PAGE 10
COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 4	WATER JEL BLANKETS	PAGE 11

## SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

BRASS LANDING VALVES & MILLCOCKS	PAGE 12	COUPLINGS QRT	PAGE 19
STATIC HYDRANT TESTERS	PAGE 12	COUPLINGS - BIC	PAGE 20
HYDRANT HAND WHEELS	PAGE 13	COUPLINGS - MISCELLANEOUS	PAGE 21
HYDRANT STRAPS	PAGE 13	COUPLINGS SHIP TO SHORE	PAGE 22
HYDRANT LOCKS AND PADLOCKS	PAGE 13	ADAPTORS	PAGE 22
STANDPIPES	PAGE 14	STORZ ADAPTORS	PAGE 24
DIVIDING BREECHING CONTROLS BRASS	PAGE 14	STORZ COUPLING CIRCLIPS	PAGE 26
DIVIDING BREECHING CONTROLS ALUMINIUM	PAGE 15	NAKAJIMA COUPLINGS	PAGE 27
BLANKING CAPS	PAGE 15	HYDRANT SPANNERS & HYDRANT TOOLS	PAGE 27
BLANKING CAPS - STORZ	PAGE 17	WASHERS COUPLINGS	PAGE 28
COUPLINGS - STORZ	PAGE 18	WASHERS HYDRANTS	PAGE 29
COUPLINGS - FBT / MFB	PAGE 19		

## SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES	PAGE 31	FOAM BRANCHES & FOAM EQUIPMENT	PAGE 33
CONTROL BRANCHES & NOZZLE BRANCHES	PAGE 32	FIRE HOSE NOZZLES	PAGE 35

## SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS

FIRE HOSE REEL NOZZLES	PAGE 39	FIRE HOSE REEL STOP COCKS	PAGE 42
NOZZLE ADAPTORS & HOSE CLAMPS	PAGE 40	FIRE HOSE REEL SERVICE KITS	PAGE 42
FIRE HOSE REEL ARMS & HANDLES	PAGE 41	FIRE HOSE REEL SPARE PARTS	PAGE 43
FIRE HOSE REEL RETAINERS	PAGE 41		

# INDEX

## SECTION 5 CABINETS COVERS STANDS & TROLLEYS

METAL CABINETS FOR HOSE REELS & EXTINGUISHERS	PAGE 45	CABINET PARTS & ACCESSORIES	PAGE 53
METAL CABINETS - EMERGENCY & MISCELLANEOUS	PAGE 46	CABINET PARTS & ACCESS RESOLVE & RESOLUTE	PAGE 54
POLY CABINETS IP RATED EXT, FHR & MULTIPURPOSE	PAGE 47	FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS	PAGE 55
IP RATED TOP LOAD & POLY CABINETS NON IP RATED	PAGE 49	OTHER COVERS & BAGS	PAGE 56
OTHER POLY CABINETS	PAGE 50	FIRE EXTINGUISHER STANDS & TROLLEYS	PAGE 57
FIBERGLASS CABINETS	PAGE 52		

## SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG	PAGE 59	HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMB	PAGE 61	LIGHT DUTY VEHICLE BRACKETS	PAGE 65
HEAVY DUTY VEHICLE BRACKETS - 4.5KG	PAGE 62	EXTINGUISHER HANGERS - UNDERGROUND MINES	PAGE 66
HEAVY DUTY VEHICLE BRACKETS - 2.5KG	PAGE 64	EXTINGUISHER WALL BRACKETS	PAGE 67

## SECTION 7 FLAMMABLE STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS	PAGE 69		
-----------------------------------	---------	--	--

## SECTION 8 SIGNS & LABELS

LOCATION SIGNS - PVC	PAGE 71	GENERAL SIGNS - METAL	PAGE 86
LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF	PAGE 72	EXIT SIGNS - PVC	PAGE 87
LOCATION SIGNS - SELF ADHESIVE - VEHICLE	PAGE 73	ENGRAVED SIGNS	PAGE 88
LOCATION SIGNS - SELF ADHESIVE	PAGE 74	SIGN ADHESIVE	PAGE 88
LOCATION SIGNS - METAL - STANDARD	PAGE 75	FIRE LABELS - EXTINGUISHER PICTOGRAM	PAGE 89
LOCATION SIGNS - METAL - RIGHT ANGLE	PAGE 75	FIRE LABELS - EXTINGUISHER PRESSURE TEST	PAGE 89
LOCATION SIGNS - ALUMINIUM	PAGE 76	FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY	PAGE 90
IDENTIFICATION SIGNS - PVC	Page 77		
IDENTIFICATION SIGNS - SELF ADHESIVE	PAGE 78		
GENERAL SIGNS - PVC	PAGE 79		
GENERAL SIGNS - SELF ADHESIVE	PAGE 83		



**FIRE SYSTEM SERVICES PTY LTD**

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: info@firesys.com.au | W: www.firesys.com.au



# INDEX continued

## SECTION 9 SUPPRESSION SYSTEMS

STAT-X SUPPRESSION SYSTEMS	PAGE 93	SUPPRESSION SYSTEM SPARES	PAGE 100
EXXFIRE SUPPRESSION SYSTEMS	PAGE 97	SUPPRESSION SYSTEM SPARES - FIREPRO	PAGE 101
CO2 CYLINDER FIRE SUPPRESSION VALVES	PAGE 101		

## SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS	PAGE 105	COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 107
ESCAPE LADDERS	PAGE 106	REGA FIRE FIGHTER BACK PACKS	PAGE 108
LOCK OUTS	PAGE 106	REGA FIRE FIGHTER BACK PACK SPARE PARTS	PAGE 108
RESCUE TOOLS	PAGE 106	RURAL FIRE HOSE NOZZLES	PAGE 108
FIRE RAKES, AXES & FIRE BEATERS	PAGE 107	SCOTTY FIRE FIGHTING NOZZLES	PAGE 110
FIRE LIGHTER	PAGE 107	SCOTTY SQUALL WALLS, FITTINGS & OTHER	PAGE 111

## SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

SEALING TIES	PAGE 113	RECHARGE & TEST ADAPTORS	PAGE 116
SERVICE COLLARS, TAGS & HOLDING RINGS	PAGE 113	RECHARGE & TESTING EQUIPMENT	PAGE 117
BANDIT CLAMPS & BANDIT CLAMP TOOLS	PAGE 114	RECHARGE AGENTS	PAGE 119
NUMBER PUNCHES & SERVICE TOOLS	PAGE 115	FIRE HOSE TESTING EQUIPMENT	PAGE 120

## SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES	PAGE 122	ELBOWS & FILLER TUBES	PAGE 132
HANDLES, LEVERS & RIVETS	PAGE 123	SCHRADER VALVES	PAGE 132
CHECK STEMS DCP & AW/AF	PAGE 125	DIFFUSERS, ADAPTORS & APPLICATORS	PAGE 133
CHECK STEMS CO2	PAGE 127	DISCHARGE NOZZLES & CAPS	PAGE 134
CHECK STEM SPRINGS	PAGE 128	DISCHARGE HOSES DCP, WC, AW & AF	PAGE 135
CHECK SEATS & SEALS	PAGE 128	DISCHARGE HOSES & HORNS CO2	PAGE 137
SERVICE KITS	PAGE 129	RETAINERS CLIPS & STRAPS	PAGE 138
BURSTING DISC	PAGE 129	O RINGS WASHERS & SEALS	PAGE 139
VALVE ASSEMBLIES	PAGE 130	SIPHON TUBE ADAPTORS	PAGE 141
SAFETY PINS	PAGE 131	SIPHON TUBES	PAGE 142



# INDEX

## SECTION 13 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS	PAGE 143	FIRE SEALANT	PAGE 144
FIRE PILLOWS	PAGE 143		

## SECTION 14 SMOKE EMITTERS

SMOKE EMITTERS	PAGE 147		
----------------	----------	--	--

## SECTION 15 EMERGENCY EYE WASH STATIONS

COMBINATION UNITS	PAGE 150	MOUNTED EYE WASH UNITS	PAGE 151
LABORATORY UNITS	PAGE 152	PORTABLE EYE WASH UNITS	PAGE 153

## SECTION 16 FLAMMABLE LIQUID STORAGE & SPILL MANAGEMENT

DANGEROUS GOODS CABINETS	PAGE 157	SPILL KITS	PAGE 159
SPLILL CONTAINMENT	PAGE 161		

## SECTION 17 FIRE FIGHTING

FIRE EXTINGUISHER PRESTO WATER	PAGE 164	FIRE EXTINGUISHER PRESTO FOAM	PAGE 165
FIRE EXTINGUISHER PRESTO WET CHEMICAL	PAGE 166	FIRE EXTINGUISHER PRESTO CO2	PAGE 167
FIRE EXTINGUISHER PRESTO DRY CHEMICAL	PAGE 168		
FIRE EXTINGUISHER AMEREX DRY CHEMICAL	PAGE 169	FIRE EXTINGUISHER AMEREX VAPORISING L	PAGE 172
FIRE EXTINGUISHER AMEREX WATER MIST	PAGE 175	FIRE EXTINGUISHER AMEREX WHEELED	PAGE 176
FIRE EXTINGUISHER AMEREX HELI DECK	PAGE 177	FIRE EXTINGUISHER ECCO SOLAS	PAGE 178
FIRE HOSE REEL	PAGE 179	FSP CATALOGUE 180 - 192	PAGE 180
FIRE EXTINGUISHER CABINETS (AUSTRALIAN)	PAGE 181	FIRE HOSE REEL CABINETS (AUSTRALIAN)	PAGE 182
FIRE HOSE REEL CONTINUES FLOW	PAGE 188	FIRE HOSE REEL FOAM KIT	PAGE 194

## SECTION 18 EXIT AND EMERGENCY LIGHTING

EXIT LIGHTING	PAGE 198	SPITFIRE EMERGENCY LIGHTING	PAGE 199
BATTEN EMERGENCY LIGHTING	PAGE 200	FLOOD EMERGENCY LIGHTING	PAGE 201
EXIT LIGHTING ACCESSORIES	PAGE 202		

## SECTION 19 FIRE FIGHTING FOAMS

ANSUL FOAMS	PAGE 203	FOMTEC FOAMS	PAGE 204
COLD FIRE	PAGE 205	SEAGUARD FOAMS	PAGE 207

# FSS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS & CONDITIONS OF SALE	PAGE 210		
------------------------------------	----------	--	--

## GENERAL INFORMATION

HOW TO DETERMINE BSP THREAD SIZE	PAGE 11	WHY CHOOSE FORGED STORZ COUPLINGS?	PAGE 26
HOW TO DETERMINE STORZ COUPLING SIZE	PAGE 18		

### Disclaimer:

Images shown are for representation only and images shown may differ from actual products.

Product specifications and pricing are subject to change without notice. Possession of product reference manual or price list does not constitute an agreement to supply any goods.

Fire System Services does not make any representation that products are fit for any particular use or meet any legislative requirements - it is the responsibility of the customer to ensure that goods supplied meet any requirements and are fit for the intended application.



**FIRE SYSTEM SERVICES PTY LTD**




ABN: 56 113 794 924 | ACN: 113 794 924









FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)



# SECTION 8 SIGNS & LABELS

## LOCATION SIGNS - PVC - STANDARD



	CODE	DESCRIPTION	DIMENSIONS (MM)
	LSFEPG	LOC SIGN PVC EXT SMALL	150 W x 225 H
	LSFEPR	LOC SIGN PVC EXT SMALL REF	150 W x 225 H <b>*** REFLECTIVE***</b>
	LSFEPMG	LOC SIGN PVC EXT MEDIUM	225 W x 300 H
	LSFEPL	LOC SIGN PVC EXT MEDIUM	300 W x 455 H
	LSFHRRPG	LOC SIGN PVC FHR SMALL	150 W x 225 H
	LSFHRRPMG	LOC SIGN PVC FHR MEDIUM	230 W x 300 H
	LSFHRRPL	LOC SIGN PVC FHR LARGE	300 W x 450 H
	LSFBPG	LOC SIGN PVC F/BLANKET SMALL	150 W x 225 H
	LSFBPM	LOC SIGN PVC F/BLANKET MEDIUM	215 W x 315 H

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFEIP	LOC SIGN PVC EXT INSIDE SMALL 150 W x 225 H		LSFAPM	LOC SIGN PVC FIRE ALARM MEDIUM PICTO 230 W x 300 H
	LSFHRIIP	LOC SIGN PVC FHR INSIDE SMALL 150 W x 225 H		LSFAPIRP	LOC SIGN PVC FIRE ALARM PANEL INSIDE ROOM 450 W x 150 H
	LSFEHRPS	LOC SIGN PVC EXT & FIRE HOSE REEL 150 W x 225 H		LSFABT	LOC SIGN PVC FIRE ALARM BELL 220 W x 190 H
	LSFAP	LOC SIGN PVC FIRE ALARM SMALL PICTO 155 W x 210 H		LSEAP	LOC SIGN PVC EVACUATION ALARM PICTO 155 W x 205 H



SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## LOCATION SIGNS - PVC - STANDARD

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSMCP	LOC SIGN PVC MANUAL CALL POINT 150 W x 225 H		LSFA	LOC SIGN PVC FIRST AID 150 W x 225 H

## LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF

	CODE	DESCRIPTION	DIMENSIONS (MM)	
	LSRAFEP	LOC SIGN R/A PVC PICTO EXT SMALL	150 W x 225 H	
	LSRAFEP	LOC SIGN R/A PVC PICTO EXT MED	220 W x 320 H	
	LSRARFEP	LOC SIGN R/A PVC PICTO EXT REF SMALL	155 W x 225 H	***REFLECTIVE***
	LSRARFEP	LOC SIGN R/A PVC PICTO EXT REF MED	215 W x 325 H	***REFLECTIVE***
	LSRAFHR	LOC SIGN R/A PVC PICTO FHR SM	155 W x 225 H	
	LSRAFHRM	LOC SIGN R/A PVC PICTO FHR MED	200 W x 300 H	
	LSRARFHRM	LOC SIGN R/A PVC PICTO FHR REF MED	200 W x 300 H	***REFLECTIVE***

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFHHYP	LOC SIGN R/A PVC FHR & HYDRANT 150 W X 225 H		LSRAFEHRPS	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 160 W x 230 H
	LSRAFHRHL	LOC SIGN R/A PVC FHR & HYDRANT LARGE 240 W x 320 H		LSRAFHH	LOC SIGN R/A PVC FH & HYD 230 W x 300 H
	LSRAFEHRP	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 215 W x 320 H		LSRAFB	LOC SIGN R/A PVC FIRE BLANKET 160 W x 230 H





SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFHY	LOC SIGN R/A PVC FIRE HYDRANT w/ ARROW 215 W x 320 H		LSSOFEP	LOC SIGN S/O PVC FIRE EXT SM DOUBLE SIDED 125 W x 150 H
	LSRAMCP	LOC SIGN R/A PVC MANUAL CALL POINT 150 W x 225 H		LSSOFEPM	LOC SIGN S/O PVC FIRE EXT MED DOUBLE SIDED 250 W x 300 H
	LSRAPWIP	LOC SIGN R/A PVC W.I.P WARDEN INTERCOM POINT 150 W x 225 H		LSSOFHRPM	LOC SIGN S/O PVC FHR MED DOUBLE SIDED 250 W x 300 H
	LSRAFA	LOC SIGN R/A PVC FIRE ALARM SMALL 160 W x 210 H		LSSOFAPM	LOC SIGN S/O PVC F/ALARM MED DOUBLE SIDED 250 W x 300 H
	LSRAFHREXT	LOC SIGN R/A PVC FHR FIRE EXT 230 H x 160 W			

## LOCATION SIGNS - SELF ADHESIVE - VEHICLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSSAFES	LOC SIGN S/A FIRE EXT SMALL SUIT VEHICLE 80 W x 120 H		LSSAFBS	LOC SIGN S/A FIRE BLANKET SMALL SUIT VEHICLE 80 W x 120 H
	LSSAFERS	LOC SIGN S/A FIRE EXT REFLECT SUIT VEHICLE 100 W x 100 H		LSSAFAS	LOCATION SIGN S/A FIRST AID VEHICLE SIZE 80 W x 120 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS



## LOCATION SIGNS - SELF ADHESIVE - GENERAL




	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSSAFE	LOC SIGN S/A FIRE EXT SMALL 150 W x 225 H		LSSAFHRM	LOC SIGN S/A FHR MEDIUM 215 W x 315 H
	LSSAFER	LOC SIGN S/A FIRE EXT ***REFLECTIVE*** 155 W x 225 H		LSSAFHRD	LOCATION SIGN S/A FIRE HOSE RESIN FOR DUAL CABINET
	LSSAFEM	LOC SIGN S/A FIRE EXT MEDIUM 225 W x 300 H		LSSASERD	LOCATION SIGN S/A SAFETY EQUIP RESIN FOR DUAL CABINET
	LSSAFB	LOC SIGN S/A FIRE BLANKET 150 W x 225 H		LSSAFERD	LOCATION SIGN S/A FIRE EXT RESIN FOR DUAL CABINET
	LSSAFHR	LOC SIGN S/A FHR SMALL 150 W x 225 H		LSSAFEPRS	LOCATION SIGN S/A FIRE EXT PICTO RESIN SMALL 80 X 80
	SSAFAP	LOC SIGN S/A FIRE ALARM BELL PICTO 220 W x 190 H			

SECTION 8 SIGNS & LABELS







# SECTION 8 SIGNS & LABELS

## LOCATION SIGNS - METAL - STANDARD

	CODE	DESCRIPTION	DIMENSIONS (MM)
	LSFEMS	LOC SIGN METAL EXT SMALL	150 W x 225 H
	LSFERMS	LOC SIGN METAL EXT REFLECT SM	150 W x 225 H <b>***REFLECTIVE***</b>
	LSDSERMS	LOC SIGN METAL D/SIDE EXT REF SMALL	150 W x 225 H <b>***REFLECTIVE***</b>
	LSFEMM	LOC SIGN METAL EXT MEDIUM	210 W x 320 H
	LSFEML	LOC SIGN METAL EXT LARGE	300 W x 450 H
	LSFHRMS	LOC SIGN METAL FHR SMALL	150 W x 225 H
	LSFHRMM	LOC SIGN METAL FHR MEDIUM PICTO	210 W x 320 H
	LSFHRML	LOC SIGN METAL FHR LARGE	300 W x 450 H

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFAMM	LOC SIGN METAL FIRE ALARM PICTO MED 255 W X 300 H		LSFHYML	LOC SIGN METAL FIRE HYD LGE ARROW 600 W x 450 H
	LSFAMS	LOC SIGN METAL FIRE ALARM SMALL 150 W x 225 H			

## LOCATION SIGNS - METAL - RIGHT ANGLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFEMS	LOC SIGN R/A METAL EXT SMALL 150 W x 225 H		LSRAFHR1MM	LOC SIGN R/A METAL HYD U/GROUND <b>***REFLECTIVE***</b> 200 W x 300 H
	LSRAFEMM	LOC SIGN R/A METAL EXT MEDIUM 200 W x 300 H		LSRAFHRMS	LOC SIGN R/A METAL FHR SMALL 150 W x 225 H
	LSRAFER1MM	LOC SIGN R/A METAL EXT U/GROUND <b>***REFLECTIVE***</b> 200 W x 300 H		LSRAFHRMS	LOC SIGN R/A METAL FHR SMALL <b>***REFLECTIVE***</b> 150 W x 225 H




SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS



## LOCATION SIGNS - METAL - BOARDS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SLBMS	SIGN LOC BOARD METAL EXTINGUISHER SMALL 450 W x 600 H		SLBML	SIGN LOC BOARD METAL EXTINGUISHER LARGE 600 W x 900 H

## LOCATION SIGNS - ALUMINIUM

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFEAS	LOCATION SIGN FIRE EXTINGUISHER ALUMINIUM 150 W X 225 H X 0.6MM		LSFBA	LOCATION SIGN FIRE BLANKET ALUMINIUM 150 W X 225 H X 0.6MM
	LSFEMLA	LOCATION SIGN FIRE EXTINGUISHER LARGE ALUMINIUM W/ ANTI GRAFF			

## LOCATION SIGNS - CORFLUTE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SLBCS	SIGN LOC BOARD CORFLUTE EXTINGUISHER SMALL 450 W x 600 H		SLBCL	SIGN LOC BOARD CORFLUTE EXTINGUISHER LARGE 600 W x 900 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## IDENTIFICATION SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDDAPPG	ID DISC PVC PICTO DCP ABE 190 W x 260 H		IDFPPG	ID DISC PVC PICTO FOAM 190 W x 260 H
	IDDAG	ID DISC PVC DCP ABE 190 W x 190 H		IDFG	ID DISC PVC A/F 190 W x 190 H
	IDCPPG	ID DISC PVC PICTO CO2 190 W x 260 H		IDDBPP	ID DISC PVC PICTO DCP BE 190 W x 260 H
	IDCG	ID DISC PVC CO2 190 W x 190 H		IDDBG	ID DISC PVC DCP BE 190 W x 190 H
	IDWPPG	ID DISC PVC PICTO A/W 190 W x 260 H		IDPNS	ID DISC PVC PICTO NO SMOKE 190 W x 190 H
	IDWG	ID DISC PVC A/W 190 W x 190 H		IDES	ID DISC PVC EVAC SHEET 120 W x 100 H
	IDWCG	ID DISC PVC WET CHEMICAL 250 W x 190 H			










SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## IDENTIFICATION SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDSADAP	ID DISC S/A DCP ABE PICTO 190 W x 260 H		IDSAWC	ID DISC S/A WET CHEMICAL 190 W x 190 H
	IDSADA	ID DISC S/A DCP ABE 190mm W x 190mm H		IDSAAF	ID DISC S/A AIR FOAM 190 W x 190 H
	IDSAC	ID DISC S/A CO2 190 W x 190 H		IDSADB	ID DISC S/A DCP BE 190 W x 190 H
	IDSAAW	ID DISC S/A AIR WATER 190 W x 190 H		IDSANS	ID DISC S/A NO SMOKING PICTO 190 W x 190 H

















## IDENTIFICATION SIGNS - METAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDDAM	ID DISC METAL DCP ABE 190 W x 190 H		IDWCM	ID DISC METAL W/CHEMICAL 190 W x 190 H
	IDDAMR	ID DISC METAL DCP ABE <b>**REFLECTIVE**</b> 220 W x 225 H		IDFM	ID DISC METAL A/F 190 W x 190 H
	IDCM	ID DISC METAL CO2 190 W x 190 H		IDFMR	ID DISC METAL A/F <b>**REFLECTIVE**</b> 220 W x 225 H
	IDCMR1	ID SIGN METAL CO2 <b>**REFLECTIVE**</b> CLASS 1 MINES		IDDBM	ID DISC METAL DCP BE 190 W x 190 H
	IDWM	ID DISC METAL A/W 190 W x 190 H			

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## GENERAL SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPEAA	SIGN POLY EMERGENCY ASSEMBLY AREA 600 W x 450 H		SPFHHL	SIGN PVC FIRE HOSE & HYD LARGE 370 W x 230 H
	SPEEW	SIGN POLY EMERGENCY EYE WASH 200 W x 250 H		SPFHLM	SIGN PVC FIRE HOSE & HYD MED 215 W x 300 H
	SPFD	SIGN PVC FIRE DEPOT 310 W x 230 H		SPFHHL	SIGN PVC FHR & HYD USAGE LARGE 440 W x 395 H
	SPFEFA	SIGN PVC FIRE EXTINGUISHER & FIRST AID 95 W x 290 H		SPFHM	SIGN PVC FIRE HYDRANT MEDIUM 315 W x 215 H
	SPFEFHR	SIGN PVC FIRE HOSE REEL FIRE EXT WHITE ON RED		SPFHPRM	SIGN POLY FIRE HYDRANT PUMP ROOM MEDIUM 315 W x 215 H
	SPHRHM	SIGN PVC HR & HYDRANT MED 215 W x 315 H 50MM LETTERS		SPFHRHL	SIGN PVC FHR & HYDRANT LARGE 440 W x 300 H 75MM LETTERS
	SPFHAM	SIGN PVC FIRE HYD + ARROW MED 210 W x 320 H		SPFHRHM	SIGN PVC FHR & HYDRANT MED 215 W x 315 H 40MM LETTERS
	SPFHB	SIGN PVC FIRE HYDRANT BOOSTER 315 W x 215 H		SPFHRL	SIGN PVC FIRE HOSE REEL LARGE 225 W x 300 H WHITE BORDER

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPFHRP	SIGN PVC FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 H		SPSB	SIGN PVC FIRE SPRINKLER BOOSTER 330 W x 225 H
	SPFHRS	SIGN PVC FHR STRIP 485 W x 100 H		SPF	SIGN PVC FIRE 50 W x 100 H WHITE ON RED
	SPFHRULS	SIGN PVC FHR USE STRIP LGE 440 W x 95 H		SPES	SIGN PVC FIRE EXT STRIP 450 W x 155 H
	SPFHVAS	SIGN PVC FIRE HYD VERT ARROWSTRIP 130 W x 450 H		SPFAPS	SIGN PVC FIRE ALARM PANEL STRIP 520 W x 65 H
	SPFHYDS	SIGN PVC FIRE HYD STRIP 500 W x 100 H		SPFASS	SIGN PVC FIRE ALARM STRIP SML 150 W x 70 H RED ON WHITE
	SPFPPL	SIGN PVC FIRE POINT LARGE 900 W x 600 H		SPHBV	SIGN PVC HYDRANT BOOSTER 300 W x 240 H
	SPFPS	SIGN PVC FIRE POINT STRIP 410 W x 65 H		SPPASS	SIGN PVC P.A.S.S. EXTINGUISHER BC
	SPFPUS	SIGN PVC FIRE PUMP STRIP 495 W x 130 H		SPFES	SIGN PVC FIRE EQUIPMENT STRIP 500 W x 100 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPEEDNO	SIGN PVC EMERGENCY EXIT DO NOT OBSTRUCT 320 W x 120 H W/R		SPFSDD- NOBW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H
	SPFDDNO	SIGN PVC FIRE DOOR DO NOT OBSTRUCT 320 W x 120 H		SPFSDD- NONOBS	SIGN PVC FIRE SAFETY DOOR DO NOT OBST DO NOT KEEP OPEN 320 W x 120 H BLACK ON SILVER
	SPFDDNO- NO	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/GREEN 320 x 120		SPFSDD- NORW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H
	SPFDD- NONOBS	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN BLACK/SILVER 320 x 120		SPFSDD- NOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 330 W x 120 H
	SPFDD- NONOWR	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/RED 320 x 120		SPFSDNO- NO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
	SPFDWG	SIGN PVC FIRE DOOR WHITE GREEN 330 W x 120 H		SPFSD- NONOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
	SPFEDNO	SIGN PVC FIRE EXIT DO NOT OBSTRUCT 300 W x 120 H		SPFDNO- NO	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
	SPFSDDNO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H		SPFD- NONOBW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS
















## GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPFDNON-ORW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120		SPUREL	SIGN PVC USE RIGHT EXT LARGE 500 W x 350 H
	SPFD-NONOWR	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120		SPUREM	SIGN PVC USE RIGHT EXT MEDIUM 350 W x 400 H
	SPFSDNO	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H		SPURES	SIGN PVC USE RIGHT EXT SMALL 255 W x 175 H
	SPFSD-NOBW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H		SPRFE	SIGN PVC OFFENCES FIRE EXITS LOC GOV WHITE ON RED 150 W x 225 H
	SPFSD-NORW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H		SPRFEEs	SIGN PVC OFFENCES FIRE EXITS EPA ACT BLACK/SILVER 150 W x 200 H
	SPFSD-NOWR	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H		SPRFER	SIGN PVC OFFENCES FIRE EXITS EPA ACT WHITE ON RED 150 W x 225 H
	SPRACES	SIGN PVC RACE 220 W x 305 H		SPRFES	SIGN PVC OFFENCES FIRE EXITS LOC GOV SILVER/BLACK 150 W x 225 H
	SPRA	SIGN PVC ***REFLECTIVE*** ARROW ONLY 105 W x 140 H WHITE/GREEN		SPRFEW	SIGN PVC OFFENCES FIRE EXITS EPA ACT RED ON WHITE 150 W x 225 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSAIBF	SIGN S/A IN CASE OF FIRE BREAK FRONT 120 W x 40 H		SSAFHPS	SIGN S/A FIRE HYD STRIP PICTO 300 W x 100 H
	SSAIBG	SIGN S/A IN CASE OF EMERGENCY BREAK GLASS 125 W x 75 H		SSAFHH	SIGN S/A FIRE HOSE & HYDRANT 225 W x 300 H
	SSAEMB	SIGN S/A EXT MISSING BLAZON 190 W x 190 H		SSAFHHS	SIGN S/A FIRE HOSE & HYD STRIP 500 W x 100 H
	SSAFH	SIGN S/A FIRE HYDRANT 320 W x 215 H		SSAFHRWR	SIGN S/A FHR SQUARE 330 W x 330 H
	SSAFHC	SIGN S/A FH IN CIRCLE WHITE / CLEAR 170 x 170		SSAFHRPS	SIGN S/A FHR STRIP PICTO 300 W x 100 H
	SSARFH	SIGN S/A FIRE HYD <b>***REFLECTIVE***</b> 430 W x 260 H		SSAFHR	SIGN S/A FHR STRIP 500 W x 100 H
	SSAHB	SIGN S/A HYDRANT BOOSTER 315 W x 215 H		SSAFHP	SIGN S/A FIRE HOSE STRIP PICTO 300 W x 100 H
	SSAFHS	SIGN S/A FIRE HYDRANT STRIP 500 W x 100 H		SSAFHRHS	SIGN S/A FIRE HOSE REEL & HYD SMALL 225 W x 300 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS











## GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSAFHRH	SIGN S/A FHR & HYDRANT 435 W x 300 H		SSADNOMP	SIGN S/A DO NOT USE MOBILE PHONE PICTO 100 DIA VINYL
	SSAFHRU	SIGN S/A FHR TO BE USED IN CASE OF FIRE 500 W x 100 H		SSANSS	SIGN S/A NO SMOKING STRIP 410 W x 125 H
	SSAFHRFH	SIGN S/A FHR & FIRE HOSE 290 W x 190 H		SSADNOS	SIGN S/A DO NOT OBSTRUCT W/R STRIP 70 H x 310 W
	SSAFD	SIGN S/A FIRE DEPOT 315 W x 215 H		SSAE	SIGN S/A EXIT 285 W x 140 H
	SSAFDR	SIGN S/A FIRE DEPOT ***REFLECTIVE*** CLASS 2 310 W x 225 H		SSAEP	SIGN S/A EXIT PICTO 310 W x 110 H
	SSAFDR1S	SIGN S/A FIRE DEPOT ***REFLECTIVE *** SML UNDERGROUND 300Wx200H		SSAEPS	SIGN S/A EXT STRIP PICTO 300 W x 100 H
	SSAFDR1	SIGN S/A FIRE DEPOT **REFLECTIVE** UNDER- GROUND 440 W x 350 H		SSAER	SIGN S/A EXIT **REFLECTIVE** 285 W x 140 H
	SSAFDCR	SIGN S/A FIRE DEPOT CONTENTS ***REFLECTIVE*** 290 W x 205 H		SSAFEIS	SIGN S/A FIRE EXT INSIDE STRIP 455 W x 50 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS














## GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSAFEX	SIGN S/A FIRE EXIT 350 W x 125 H GREEN/WHITE		SSAFSDNONO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
	SSAOFE	SIGN S/A OFFENCES FIRE EXITS LOC GOVT ACT 225 W x 155 H		SSAFSD-NONOR	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
	SSAFDNO	SIGN S/A FIRE DOOR DO NOT OBSTRUCT 320 W x 120 H		SSAFSMDNO	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT 320 W x 120 H
	SSAFDNOG	SIGN S/A FIRE DOOR DO NOT OBSTRUCT WH/GREEN 320 W x 120 H		SSAFSMD-NONOWR 320 H x 120 W	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
	SSAFSDNO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT 300 W x 120 H		SSASDWG	SIGN S/A SMOKE DOOR WHITE ON GREEN

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS


## GENERAL SIGNS - METAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SMFHM	SIGN METAL FIRE HYDRANT MED 315 W x 215 H		SFHMM	SIGN METAL FIRE HOSE & HYD 225 W x 300 H
	SMFHL	SIGN METAL FIRE HYDRANT LGE 450 W x 300 H		SMFHRP	SIGN METAL FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 x H
	SMFHXL	SIGN METAL FIRE HYDRANT X-LGE 600 W x 450 H		SMSB	SIGN METAL SPRINKLER BOOSTER 300 W x 200 H
	SFHRML	SIGN METAL FIRE HYDRANT <b>**REFLECTIVE**</b> LARGE 450 W x 300 H		SMSSV	SIGN METAL SPRINKLER STOP VALVE 300 W x 300 H
	SMHS	SIGN METAL BACK H HYDRANT 75 W x 150 H		SMER	SIGN METAL EXIT <b>***REFLECTIVE***</b> 290 W x 150 H
	SMFHP	SIGN METAL FIRE HYDRANT PUMP 300 W x 300 H		SMFSDD- NOSB	SIGN METAL FIRE SAFETY DOOR DO NOT OPEN SILVER ON BLACK
	SMHB	SIGN METAL HYDRANT BOOSTER 300 W x 220 H			

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS



## EXIT SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPE	SIGN PVC EXIT 350 W x 150 H		SELAP	SIGN EXIT ARROW LUMINOUS ARROW PICTO 150 W x 150 H
	SPFE	SIGN PVC FIRE EXIT STRIP 350 W x 130 H		SELRLE	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT EXIT 400 W x 150 W
	SPEEPB	SIGN PVC EMERGENCY EXIT PUSH BAR TO OPEN WHITE ON GREEN		SELRRE	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT EXIT 400 W x 150 H
	SPNES	SIGN PVC NO EXIT STRIP 330 W x 175 H		SELRLP	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT PVC 300 W x 100 H
	SPFER	SIGN PVC FIRE EXIT ***REFLECTIVE*** 355 W x 130 H		SELRRP	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT PVC 300 W x 100 H
	SELFEP	SIGN PVC LUM FIRE EXIT PICTO 300 W x 100 H		SELRP	SIGN EXIT LUM S/S RUNNING MAN PICTO PVC 440 W x 180 H
	SELEEO	SIGN PVC LUM EMERGENCY EXIT EMERGENCY USE ONLY 400 W x 150 H		SELRPS	SIGN EXIT LUM S/S RUNNING MAN PVC PICTO SMALL 180 W x 180 H
	SELEE	SIGN PVC LUM EMERGENCY EXIT 400 W x 150 H			


SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## ENGRAVED SIGNS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SEFSVB	SIGN FIRE SERVICE VALVE BRASS 120 W x 35 H 8mm LETTERS		SEFSVP	SIGN FIRE SERVICE VALVE PVC ENGRAVED 175 W x 50 H










## SIGN ADHESIVE

	CODE	DESCRIPTION
	SA	SIGN ADHESIVE 420 GRAM TUBE PVC ADHESIVE




## NOTES

# SECTION 8 SIGNS & LABELS

## FIRE LABELS - EXTINGUISHER PICTOGRAM

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RPABE	LABEL RATING PICTO ABE 155 W x 50 H		RPAWS	LABEL RATING PICTO A/W SMALL 85 W x 25 H
	RPABES	LABEL RATING PICTO ABE SMALL 85 W x 25 H		RPBE	LABEL RATING PICTO BE & CO2 100 W x 50 H
	RPAF	LABEL RATING PICTO AFFF (FOAM) 155 W x 50 H		RPBES	LABEL RATING PICTO BE SMALL 55 W x 25 H
	RPAFS	LABEL RATING PICTO AFFF SMALL 85 W x 25 H		RPWC	LABEL RATING PICTO WET CHEM 200 W x 50 H
	RPAW	LABEL RATING PICTO A/WATER 155 W x 50 H			

## FIRE LABELS - EXTINGUISHER PRESSURE TEST

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LPTA	LABEL P/TEST ALUMINIUM 2MPa 35 W x 35 H		LPTAA	LABEL PRESSURE TEST BLANK 35 x 35
	LPTA25	LABEL P/TEST ALUMINIUM 2.5MP 35 W x 35 H			

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS










## FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LPBL	LABEL PLAIN BLACK LARGE CO2 500 W x 50 H		LFT	LABEL FIRE TRAINER 100 W x 100 H
	LPBLL	LABEL PLAIN BLUE LARGE 500 W x 50 H		LS050	LABEL INFORMATION (REMOTE RELEASE) R-102 ANSUL
	LPLG	LABEL PLAIN LIME GREEN METAL FIRE EXT 480 W x 55 H		LSAAFSS	LABEL SELF ADH AUTO- MATIC FIRE SUPPRESSION SYS 165 W x 270 H
	LPTL	LABEL PLAIN TAN LARGE WET CHEM 500 W x 50 H		LS030	LABEL SYSTEM (SAFETY WARNING) R102 ANSUL
	LPWL	LABEL PLAIN WHITE LARGE DCP 700 W x 60 H		LSACSRR	LABEL S/A CANDY STRIPE RED/WH CLASS 1 <b>*REFLECTIVE *</b> 50 x 0.8m
	LPWM	LABEL PLAIN WHITE MEDIUM 450 W x 45 H		LSAPD	LABEL S/A PARTIAL DISCHARGE SHEETS OF 10 / 20 / 30 / 40
	LPWS	LABEL PLAIN WHITE SMALL 400 W x 35 H		LSAS	LABEL S/A SEAL TIE THE BREAKING OF THIS SEAL 80 W x 20 H
	LCI	LABEL CORROSION INHIBITOR 60 W x 35 H		LC2FO	LABEL CO2 2.0 kg FIREOUT 5B:E RATING
	LCOND	LABEL CONDEMNED DO NOT USE 179 W x 20 H		LC35FO	LABEL CO2 3.5kg FIREOUT 10B:E RATING
	LFHRFO	LABEL FHR FIREOUT 175 DIA S/A		LC5FO	LABEL CO2 5.0 kg FIREOUT 10B:E RATING
	LFHRNN	LABEL FHR NO NAME 180 DIA S/A		LDA9FO	LABEL DCP ABE 9.0kg FIREOUT 10A-80B:E RATING

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS



















## FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LAF9FO	LABEL AIR FOAM 9ltr FIREOUT 4A-30B:E RATING		LC35CG	LABEL CO2 3.5kg CHUBB GENUINE
	LAW9FO	LABEL AIR WATER 9ltr FIREOUT 4A RATING		LC5WG	LABEL CO2 5kg WORMALD GENUINE
	LAFF3NN	LABEL FOAM 3F FLUORINE FREE RECHARGE LABEL		LCCG	LABEL CO2 5.0kg CHUBB GENUINE 10BE 210mm x 210mm
	LAF	LABEL AIR FOAM 300 W x 135 H		LCL	LABEL CO2 LARGE (3.5 & 5.0) 555 W x 140 H
	LAFCG	LABEL AIR FOAM CHUBB GENUINE 3A:20BE		LCS	LABEL CO2 SMALL 2kg 380 W x 100 H
	LAFQ	LABEL AIR FOAM Q GENUINE 3A30BE 290 W x 150 H		LCSS	LABEL CO2 SMALL SWIV- EL ELBOW 160 W x 255 H
	LAFQ2	LABEL AIR FOAM QUELL SERIES 2 250 W x 140 H		LDA	LABEL DCP ABE SMALL LIFT HANDLE 125 W x 120 H
	LAFW91	LABEL AIR FOAM WORM 9.1LT GEN3A:30B SILVER 300W x 170H		LDA45QG	LABEL DCP ABE 4.5kg Q GENUINE 4A:80B:E 290 W x 150 H
	LAW	LABEL AIR WATER RATING 3A 300 W x 150 H		LDA45WG	LABEL DCP ABE 4.5kg W GENUINE 4A:60B:E 280 W x 135 H
	LAWF	LABEL AIR WATER 9.1Ltr FIREX GENUINE 3A		LDA45WG 80	LABEL DCP ABE 4.5kg W GENUINE 4A:80B:E
	LAWQG	LABEL AIR WATER Q GENUINE 3A 290 W x 150 H		LDA9CG	LABEL DCP ABE 9kg CH GENUINE 6A:80B:E 230 W x 220 H

SECTION 8 SIGNS & LABELS

# SECTION 8 SIGNS & LABELS

## FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LDA9FG	LABEL DCP ABE 9kg FIREX GEN 4A:80B:E 295 W x 155 H		LDBS	LABEL DCP BE SMALL W/O HOSE 400 W x 125 H
	LDA9FM	LABEL DCP ABE 9kg F/M AMEREX BRASS VALVE GEN 6A80BE		LDBSH	LABEL DCP BE SMALL c/w HOSE 400 W x 125 H
	LDA9QG	LABEL DCP ABE 9kg Q GENUINE 6A:80B:E 290 W x 150 H		LDBWNN	LABEL DCP BE NO NAME 600 W x 125 H
	LDA9WG	LABEL DCP ABE 9kg WORM GENUINE 6A:80B:E 295 W x 145 H		LDCMCG	LABEL DCP METAL FIRES CHUBB GENUINE 180 W x 250 H
	LDAQNS	LABEL DCP ABE Q N N SQUARE 245 W x 190 H		LDS	LABEL DCP BE SMALL LIFT HANDLE TYPE 125 W x 120 H
	LDAS	LABEL DCP ABE SMALL W/O HOSE 400 W x 125 H		LDSM	LABEL DCP SWORDSMAN 225 W x 105 H
	LDASH	LABEL DCP ABE SMALL c/w HOSE 400 W x 125 H		LMDA	LABEL MOBILE DCP ABE PICTO 185 W x 185 H
	LDAWNN	LABEL DCP ABE NO NAME 600 W x 125 H		LMDB	LABEL MOBILE DCP BE PICTO 185 W x 185 H
	LDBQNS	LABEL DCP BE Q N N SQUARE 245 W x 200 H		LMF	LABEL MOBILE FOAM OPERATING 180 W x 240 H

SECTION 8 SIGNS & LABELS

# NOTES

NOTES



## FIRE SYSTEM SERVICES PTY LTD

ABN: 56 113 794 924 | ACN: 113 794 924

FC: 1300 88 FIRE (3473) | E: [info@firesys.com.au](mailto:info@firesys.com.au) | W: [www.firesys.com.au](http://www.firesys.com.au)



**QUICK REFERENCE GUIDE****SECTION 1 FIRE FIGHTING APPLIANCES****SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT****SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES****SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS****SECTION 5 CABINETS COVERS STANDS & TROLLEYS****SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS****SECTION 7 FLAMMABLE STORAGE CABINETS****SECTION 8 SIGNS & LABELS****SECTION 9 SUPPRESSION SYSTEMS****SECTION 10 SAFETY & BUSHFIRE EQUIPMENT****SECTION 11 SERVICE CONSUMABLES & EQUIPMENT****SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS****SECTION 13 BUILDING PRODUCTS**

# FSS GENERAL TERMS & CONDITIONS OF SALE

## GENERAL TERMS AND CONDITIONS OF SALE

ANY REFERENCE TO "THE SUPPLIER" REFERS TO FIRE SYSTEM SERVICES ABN 47 635 264 476. ANY REFERENCE TO "THE CUSTOMER" REFERS TO THE PURCHASER OF GOODS. IF YOU DO NOT UNDERSTAND ANY OF THE TRADING TERMS AND CONDITIONS CONTAINED IN THIS DOCUMENT IT IS RECOMMENDED THAT YOU SEEK INDEPENDENT LEGAL ADVICE..

1. **Acceptance** – Any instructions received by the Supplier from the Customer in relation to the supply of goods shall constitute acceptance of the terms and conditions contained herein.
2. **Payment terms** – The agreed trading terms are 30 days. Payment is due on all invoices 30 days from the date on the invoice.
3. **Account keeping fees** – The Customer hereby agrees and acknowledges that at the absolute discretion of the Supplier, an account keeping fee of 2% per month, or the maximum rate permissible by law, may be levied on any overdue amounts that remain unpaid by the required due date. The Customer agrees that this fee represents a reasonable pre estimate of the loss suffered by the Supplier in relation to overdue amounts.
4. **Dishonour fees and collection costs** – The Customer agrees to indemnify the Supplier for any dishonoured cheque fees incurred. Further, in the event that the Customer's account is in default of these trading terms the Customer will also indemnify the Supplier against its collection fees and any reasonable legal costs incurred by the Supplier, provided the Customer has been provided reasonable opportunity to remedy the default and has failed to do so.
5. **Stop supply** – The Supplier may withdraw credit facilities to the Customer at any time upon reasonable notice. Without limiting the Supplier's rights to withdraw credit, the Supplier reserves the right to stop supply and place the account on hold when the Customer is in default of the Trading Terms, until such time as the Customer remedies the default and the Supplier agrees to recommence supply.
6. **Application** – These Trading Terms apply to all transactions in relation to which the Customer is supplied goods and or services (including on credit). If any future contract between the Supplier and the Customer is inconsistent with these Terms of Trade, then these Trading Terms will apply unless the subsequent contract refers to and specifically alters these Trading Terms in writing.
7. **Variation to Customer details** – Should there be any variation to any of the information supplied by the Customer in this application or in the structure of the Customer's business (such as the conversion to or from a company or trust or the appointment of new directors), the Supplier shall be notified in writing. Until a new application form is signed and approved in writing by the Supplier, then the original application and those person(s) who signed as guarantor(s) shall remain liable to the Supplier as though all goods and services were supplied to the original Customer.
8. **Amendments** – The supplier reserves the right to amend these Trading Terms and will publish any amended version of the Trading Terms on its website. The Customer will be provided with reasonable notice prior to any changes of the Trading Terms. In the event that the Customer reasonably considers that the variation causes the Customer a material detriment, the Customer may terminate these Trading Terms without penalty.
9. **Assignment** – The Supplier shall be entitled at any time to assign its rights under these Trading Terms to its successors, nominated transferees or assigns, (including but not limited to, where applicable, personal guarantees), and that these Trading Terms shall not be in any way affected or discharged pursuant to such assignment.
10. **Retention of title** – Until ALL INVOICES are paid in full, and ALL MONIES receipted and cleared, ownership of the goods remains with the Supplier, but the risk passes to the Customer on delivery. Delivery shall occur if the Supplier or its agent delivers, on delivery, and or if the Customer or its agent (s) takes delivery, at that point of delivery. Until the Supplier is paid in full, the relationship of the Customer to the Supplier shall be fiduciary in respect of the goods and the Customer shall hold the goods as bailee only for the Supplier. The Customer shall store the goods separately from its own until title has passed to the Customer.
11. **Recovery** – Should the goods be on sold to a third party before payment, or in the event of the Appointment of an Administrator, Controller, Managing Controller, receiver or Receiver Manager (as those terms are used in the *Corporations Act 2001* (Cth)), or entry into an Informal/Formal Deed of Arrangement under the *Bankruptcy Act 1966* (Cth) by the Customer, or any other insolvency event of the Customer, then the Customer hereby assigns to the Supplier its right of recovery of payment from the third party. The money(ies) resulting from the sale of the goods are to be specifically earmarked and placed in a separate account on trust for the Supplier, until payment in full is made to the Supplier for the cost of the goods only, to guarantee clear passage of ownership to the third party innocent purchaser.
12. **Retaking Possession** – In the event the Customer is in default of the Trading Terms, and after failing to remedy any breach of the Trading Terms after notice and a reasonable period of time, then the Supplier may upon notice to the Customer, enter upon the premises where the goods are reasonably expected to be stored for the sole purpose of retaking possession of the said goods. The Customer indemnifies and holds harmless the Supplier, its servants or agents in relation to loss or damage as a result of the retaking of possession of said goods. Further, in the event the supplier exercises its right of retaking possession of the said goods, the Customer grants power of sale to the Supplier to resell the said goods and the Customer acknowledges that any shortfall owing after the said goods are resold will be the responsibility of the Customer. Notwithstanding any other provision of these Trading terms, it is expressly agreed by the Customer that the Supplier may sue for the price of all goods delivered to the Customer or for damages, notwithstanding that ownership in those goods has not been passed to the Customer.
13. **Delivery** – Deliveries shall be made during normal business hours. Deliveries required outside normal business hours will be delivered upon the request of the Customer, and any additional charges will be the sole responsibility of the Customer. In the event the Customer or the Customer's agent is not on site to accept delivery, then the Customer must pay the cost for redelivery of any goods. Any date of delivery quoted in any correspondence, quotation or invoice is an estimated delivery time frame only and is subject to industrial disturbances, delay in transit, damage to goods in transit, shortage of goods and any other cause beyond reasonable control of the Supplier.
14. **PPSR** – The Supplier reserves the right to register any security interest provided by the Customer ("the grantor") which creates a performance obligation to secure payment owed by the Customer to the Supplier pursuant to the Personal Property Securities Act 2009 (Cth).

# FSS GENERAL TERMS & CONDITIONS OF SALE

- 15. Service of Documents** – The Customer acknowledges that service of all documents will be by prepaid postal addressed envelope to the trading address nominated on the application unless a new address is provided by the Customer and such new address is acknowledged by return in writing from the Supplier, or another nominated address at the discretion of the Supplier. The Customer expressly acknowledges that service is deemed to be effected after the expiration of 2 business days from the date of posting of the documents.
- 16. Access to site** – The Customer at all times is responsible to ensure suitable access to its site for delivery of goods. The Customer indemnifies and saves harmless the Supplier, and or its servants or agents any loss or damage, in the event the Customer fails to provide suitable access to the site for delivery, or whilst on site delivering, except to the extent that any loss or damage is caused or contributed to by the negligence of the Supplier or its servants or agents.
- 17. Price** – Unless a separate agreement is in place all goods are sold at the price current at the time of purchase as determined by the Supplier. The price of the goods is at the Suppliers works. Costs and charges for freight and handling at the point of delivery to the Customer or Customer's agent are payable by the customer unless otherwise stated on the quotation. All prices may be subject to change without notice. If requested the Customer will be provided a quotation for the purchase price of the goods, and the costs for delivery at the time of ordering. All quotes remain current for 14 days only from the date of the quotation or as otherwise stated on quotation.
- 18. Financial information** – The Customer agrees to provide financial information as is reasonably required by the Supplier from time to time, for the assessment of current and future credit limits only. The Supplier and the Customer further agree that such information shall be treated as strictly confidential and shall not be disclosed to any third party(ies) without the express written permission of the Customer.
- 19. Claims** – It is the responsibility of the Customer to carefully inspect the goods immediately when they are delivered. Claims that the goods fail to meet the guarantees under the *Australian Consumer Law* must be made in accordance with the requirements of that legislation. Claims that the products fail to meet the manufacturer's warranty, suitable quality standard, or claims relating to incorrect goods shipped or incorrect quantities received will only be recognised if made in the first instance by phone within 72 hrs of delivery, and also in writing within 7 days of delivery. Claims outside this period will be at the absolute discretion of the Supplier, and its decision final and binding on the Customer. All claims that the goods fail to meet the manufacturer's warranty or suitable quality standard must be returned in original condition and packaging and complete in every detail and such goods will only be accepted if the freight is prepaid by the Customer unless other agreements have been made in writing.
- 20. Returns & cancellations** – In the event the Customer elects to return goods or cancel goods on order for any reason other than failure to comply with *Australian Consumer Law* they must first seek written return authorisation from the Supplier. Acceptance of returns not covered under *Australian Consumer Law* will be at the absolute discretion of the Supplier and may at the absolute discretion of the supplier attract a 10% handling and restocking fee on the invoice amount involved. The Customer agrees that this represents a reasonable pre estimate of the loss that the Supplier will suffer in restocking and administrative charges.
- 21. Special Orders** – Special orders attract a 50% deposit which will be debited to the Customer's account upon receipt of a written order for goods outside the Supplier's normal stock lines, or for goods which are specifically modified to meet the customers' requirements. The classification of what stock lines are normally held and those not held by the Supplier and what constitutes a modification is at the absolute discretion of the Supplier and may change from time to time. NOTE unless goods breach the consumer guarantees under *Australian Consumer Law*, no return of, or cancellation of special orders will be accepted.
- 22. Warranties** – All goods are warranted by the manufacturer's warranty, if any, as is furnished by the manufacturer thereof. To the extent permitted by law, all implied warranties are expressly excluded. Nothing in these Trading Terms shall be read or applied so as to exclude, restrict or modify, or have the effect of excluding, restricting or modifying, any condition, warranty, guarantee, right or remedy implied by law (including the *Competition and Consumer act 2010* (CTH)) and which by law cannot be excluded, restricted or modified.
- 23. Damages** – To the extent permitted by law, if the Customer is entitled to the benefit of any implied terms which cannot be excluded, the Supplier's liability shall be limited, as its option in the supply of goods to:
- The replacement of the goods or the supply of equivalent goods:
  - The payment of the costs of replacing the goods or acquiring the relevant goods, or the payment of having the goods repaired:
  - In the case of services, the resupply of the services: or
  - The payment of the cost of having the services performed again
- 24. Limit & liability** – Subject to the Australian Consumer Law, the Supplier shall not be liable for any claims, loss, expense whatsoever, howsoever arising, or in any event in any way whatsoever for any contingent, consequential direct/indirect special, or punitive damages arising in relation thereto, and the Customer acknowledges this express limit or liability and agrees to limit any claim accordingly. Further the Supplier shall not be responsible directly or indirectly for any consequential loss or damage, or for the maintenance, use or operation of the product by the Customer, or to any third party, or from any failure of the product whether defective or not.
- 25. GST** – Expressions set out in italics in this clause 25 bear the same meaning as those expressions in the GST law.
- All payments have been set or determined without regard to the impact of GST.
  - Subject to clause 25.D if the whole or any part of a payment by a party (including amounts referred to in 25.B) is the consideration for a *taxable supply*, the GST amount in respect of the payment must be paid to the Supplier of the *taxable supply* as an additional amount, at the same time and in the same manner as the payment is otherwise payable or as otherwise agreed in writing.
  - If a payment due under this agreement is a reimbursement or indemnification by one party of an expense, loss or liability incurred by the other party, the payment will exclude any GST forming part of the amount to be reimbursed or indemnified to the extent to which the other party can claim an *input tax credit*.
  - A party's obligation to make payment under clause 25.A is subject to a valid tax invoice being delivered to the party liable to pay for the *taxable supply*.

# FSS GENERAL TERMS & CONDITIONS OF SALE

E Where the Supplier has become subject to any penalties or interest because of late payment by the Supplier to the Australian Taxation Office of any GST amount and that late payment is a result of the failure of the *recipient* to comply with the terms of this clause 26, the *recipient* must pay to the Supplier an additional amount on demand equal to the amount of those penalties and interest.

F The *recipient* must indemnify the Supplier on demand in respect of all loss or damage arising from a breach by the *recipient* of its obligations under this clause 25.

26. **Environmental Requirements** – The Customer confirms and acknowledges that it has made all relevant enquiries in relation to all responsibilities conferred upon the Customer, by all relevant legislation, relating to storage of, use of, and disposal of any or all products supplied by the Supplier.
27. **Insurance** – NO INSURANCE IS PROVIDED BY THE SUPPLIER. The Customer expressly acknowledges that insurance of all goods is the responsibility of the Customer upon dispatch from the Supplier's premises.
28. **Supply** – The Customer acknowledges that possession of the Supplier's pricelist, possession of an application for credit from the Supplier, an approved credit facility with the Supplier, or a quotation from the Supplier, does not constitute an agreement from the Supplier to supply goods or services to the Customer. The Supplier reserves the right to refuse to accept any purchase order from any Customer for any reason.
29. **Jurisdiction** – The Customer acknowledges that this contract shall be governed by the Laws of New South Wales, and the Customer hereby agrees to submit to the non-exclusive jurisdiction of the Courts of that State.

Fire System Services Pty Ltd

ABN: 56 113 794 924

FC: 1300 88 FIRE (3473) | E-Mail: [info@firesys.com.au](mailto:info@firesys.com.au) | Web: [www.firesys.com.au](http://www.firesys.com.au)